

Director of Public Health Coventry Public Health Team

To

Debbie Cahalin-Heath

From

Angela Hands Telephone 024 7683 1315 angela.hands@coventry.gov.uk Date

7th April 2015

Subject

Carters, Sky Dome, Coventry

Our reference

PHL/181

Re: Application to review a premises licence

Location: Carters, Sky Dome, Coventry, CV1 3AZ

On behalf of Coventry's Director of Public Health as a Responsible Authority, I am responding to the above License review application. My representation relates to the public safety licensing objective.

I have the following comments to make:

Public Health as a Responsible Authority

Since April 2012, Directors of Public Health became responsible authorities under the Licensing Act 2003, and can now have a say in local decisions about alcohol licensing. This means the Director of Public Health can present health-related evidence and make relevant representations to the licensing authority relating to new licence applications, licence variations and licence reviews such as this. The licensing objective representation will relate to public safety which includes the prevention of accidents and injuries and other immediate harms that can result from alcohol consumption.

Public Health

Coventry's Director of Public Health acts as the lead officer in Coventry for health and championing health across the whole of the authority's business. Thus the Director of Public Health will be the person elected members and other senior officers will consult on a range of health and wellbeing issues. *This responsibility now includes licensing and the associated risks to the health of Coventry people.* The Director of Public Health works with local criminal justice partners and the Police and Crime Commissioners to promote safer communities and engages with wider civil society to enlist them in fostering health and wellbeing.

Health and Alcohol

According to the Government's Alcohol Strategy published in March 2012, binge drinking isn't a fringe issue, it accounts for half of all alcohol consumed in this country. The crime and violence it causes drains resources in our hospitals, generates mayhem on our streets and spreads fear in

our communities. The Government is clear that it is not just the responsibility of Government or local agencies to tackle the issue of alcohol-related harm. It is the ethical responsibility of the entire industry – alcohol retailers, alcohol producers and both the on-trade and off-trade – to promote, market, advertise and sell their products in a responsible way. Individuals need to take control of and change their behaviours – though some may need help to do so.

- 83% of those who regularly drink above the guidelines do not think their drinking is putting their long term health at risk;
- Whereas most smokers wish to quit, only 18% of people who drink above the lower-risk guidelines say they actually wish to change their behaviour; and

External and environmental factors can hugely influence — positively and negatively — the amounts that individuals or groups of the population drink and the ways they drink. Around a third of adult men (25-64) and a fifth of women in the same age group say they drink at levels above the lower-risk guidelines. Moreover, 8% of men and 4% of women in this age group admit to drinking at levels more than twice the lower-risk guidelines. Many in this age group are parents, whose excessive parental drinking will be a risk to their children. It has become acceptable to develop a habit of routinely using alcohol for stress relief, putting many people at risk of chronic diseases, such as liver disease; diabetes; cardiovascular disease; and cancers of the breast and gastrointestinal tract. The latest estimate is that up to 70,000 people could die avoidably over the next twenty years if the wrong actions are taken.

Coventry specific statistics

I have attached a copy of the Local Alcohol Profile for England – Coventry 2012/13 which shows that Coventry is significantly worse than the rest of England for a number of alcohol related and alcohol specific indicators. This is labelled as Appendix 1.

Carters Representation

Following receipt of the licence review application from colleagues in West Midlands Police, data was obtained from West Midlands Ambulance Service. This concerns the incident that happened in the early hours of Friday 20th March 2015.

A search of WMAS data was carried out against postcode CV1 3AZ which comprises the premises under review. The search found that at approximately 04:00 on Friday 20th March 2015

- 2 WMAS resources were deployed to Carters, SkyDome, Coventry
- 3 patients in total were treated
- 3 patients were conveyed to UHCW.

Under the licensing objective of public safety and given the evidence above, I fully support the application for the review of the Society premises licence requesting that the licence is revoked.

Please do not hesitate to contact me if you require further information.

Kind Regards

Angela Hands
Public Health Practitioner
024 7683 1315
angela hands@coventry.gov.uk



Coventry



Compared to England average:

Significantly lower

Significantly higher

Not significant

Not significant

Not calculated

Regional

Average

Average

Fingland

Not significant

Not calculated

Percentile

Regional

Average

Fingland

Average


Fingland

Not significant

Percentile

Months of life lost - males Months of life lost - females Alcohol-specific mortality - males Alcohol-specific mortality - females Mortality from chronic liver disease - males Mortality from chronic liver disease - females Alcohol-related mortality - males Alcohol-related mortality - females Alcohol-specific hospital admission - under 18s Alcohol-specific hospital admission - males Alcohol-specific hospital admission - females Alcohol-related hospital admission (Broad) - males Alcohol-related hospital admission (Broad) - females Alcohol-related hospital admission (Narrow) - males Alcohol-related hospital admission (Narrow) - females Admission episodes for alcohol-related conditions (Broad) Admission episodes for alcohol-related conditions (Narrow) Alcohol-related recorded crime Alcohol-related violent crime Alcohol-related sexual offences Abstainers synthetic estimate Lower Risk drinking (% of drinkers only) synthetic estimate Increasing Risk drinking (% of drinkers only) synthetic estimate

Higher Risk drinking (% of drinkers only) synthetic estimate



Public Health England Room 2.09 2nd Floor Liverpool John Moores University Henry Cotton Campus 15-21 Webster Street Liverpool L3 2ET

Tel:
+44(0)151 231 4535
Fax:
+44(0)151 231 4552
Email:
KITNorthWest@phe.gov.uk
Website:
http://www.nwpho.orq.uk
http://www.nwpho.orq.uk

Binge drinking (synthetic estimate)


Employees in bars




Coventry




Alcohol-related mortality - males




Alcohol-related mortality - females




Mortality from chronic liver disease males




Mortality from chronic liver disease females




Alcohol-related hospital admission (Broad) - males




Alcohol-related hospital admission (Broad) - females




Alcohol-related hospital admission (Narrow) - males




Alcohol-related hospital admission




Alcohol-specific hospital admissionunder 18s




Alcohol-related recorded crimes



Alcohol-related violent crimes



Alcohol-related sexual offences



Knowledge & Intelligence ream (North west)

Public Health England Room 2.09 2nd Floor Liverpool John Moores University Henry Cotton Campus 15-21 Webster Street Liverpool L3 2ET

+44(0)151 231 4535 Fax: +44(0)151 231 4552 Email: KITNorthWest@phe.gov.uk Website: http://www.nwpho.orq.uk

http://www.gov.uk/phe







Local Alcohol Profiles for England

ID	Indicator	Measure (a)	National Rank (b)	Regional Average
1	Months of life lost - males	14.4	283	12.4
2	Months of life lost - females	6.2	265	6.1
3	Alcohol-specific mortality - males	20.8	287	17.7
4	Alcohol-specific mortality - females	8.2	255	8.7
5	Mortality from chronic liver disease - males	20.6	274	17.5
6	Mortality from chronic liver disease - females	8.4	203	9.9
7	Alcohol-related mortality - males	68.2	231	67.6
8	Alcohol-related mortality - females	27.7	184	30.6
9	Alcohol-specific hospital admission - under 18s	48.1	211	45.4
10	Alcohol-specific hospital admission - males	762.9	299	471.7
11	Alcohol-specific hospital admission - females	291.2	270	213.1
12	Alcohol-related hospital admission (Broad) - males	2,010.8	291	1,638.0
13	Alcohol-related hospital admission (Broad) - females	966.5	278	828.8
14	Alcohol-related hospital admission (Narrow) - males	715.0	294	577.8
15	Alcohol-related hospital admission (Narrow) - females	356.1	279	303.7
16	Admission episodes for alcohol-related conditions (Broad)	2,680.9	302	2,090.0
17	Admission episodes for alcohol-related conditions (Narrow)	862.9	315	689.9
18	Alcohol-related recorded crime	7.2	270	5.6
19	Alcohol-related violent crime	4.6	251	3.8
20	Alcohol-related sexual offences	0.2	277	0.1
21	Abstainers synthetic estimate	20.8	30	17.9
22	Lower Risk drinking (% of drinkers only) synthetic estimate	74.1	59	73.9
23	Increasing Risk drinking (% of drinkers only) synthetic estimate	19.2	40	19.6
24	Higher Risk drinking (% of drinkers only) synthetic estimate	6.8	194	6.5
25	Binge drinking (synthetic estimate)	19.9	182	18.8
26	Employees in bars	1.3	55	1.9

Foo	tno	tes

Alcoholspecific

Definition

Alcohol-specific outcomes include those conditions where alcohol is causally implicated in all cases of the condition; for example, alcohol-induced behavioural disorders and alcohol-related liver cirrhosis. The alcohol-attributable fraction is 1.0 because all cases (100%) are caused by alcohol.

Alcoholrelated Alcohol-related conditions include all alcohol-specific conditions, plus those where alcohol is causally implicated in some but not all cases of the outcome, for example hypertensive diseases, various cancers and falls. The attributable fractions for alcohol-related outcomes used here range from between 0 and less than 1.0. For example, the alcohol-attributable fraction for mortality from pneumonia among men aged 75 and over is 0.10 because the latest epidemiological data suggest that 10% of pneumonia cases among this population are due to alcohol. Outcomes where alcohol has a protective effect (i.e. the fraction is less than 0) are not included when the alcohol-attributable fractions are applied to mortality and hospital episode statistics data.

Indicator value The actual indicator value for the Local Authority as calculated in the definitions below.

Ranks

The rank of the local indicator value among all 326 Local Authorities in England. A rank of 1 is the lowest value Local Authority in England and a rank of 326 is the highest except for indicators 21 & 22 were the ranking is reversed (1 is the highest value and 326 the lowest).

Suppression

Where values in 'Trend Charts' and 'Data' are blank, data have been suppressed to prevent disclosure unless otherwise stated. For mortality data counts below 3 have been suppressed and for HES data, counts below 6 have been suppressed (HES counts of 0 do not require suppression). Further suppression has been applied to the datasets in LAPE to prevent disclosure through subtraction.

Knowledge & Intelligence Team (North West)

Public Health England Room 2.09 2nd Floor Liverpool John Moores University Henry Cotton Campus 15-21 Webster Street Liverpool L3 2ET

Tel: +44(0)151 231 4535 Fax: +44(0)151 231 4552 Email: KITNorthWest@phe.gov.uk

Website: http://www.nwpho.orq.uk http://www.gov.uk/phe





ID	Definition
1,2	Months of life lost- males/females - An estimate of the increase in life expectancy at birth that would be expected if all alcohol- related deaths among males/females aged less than 75 years were prevented. Knowledge and Intelligence Team (North West) from 2010-2012 England and Wales life expectancy tables for males and females (from Office for National Statistics), alcohol-related deaths from the Public Health Mortality File 2010-2012 for males/females aged less than 75 years and the Office for National Statistics mid-year population estimates for 2010-2012.
3,4	Alcohol-specific mortality- males/females - Deaths from alcohol-specific conditions, all ages, males/females, directly age- standardised rate per 100,000 population (standardised to the European standard population). Knowledge and Intelligence Team (North West) from the Public Health Mortality File for 2010-2012 and Office for National Statistics mid-year population estimates for 2010-2012.
5,6	Mortality from chronic liver disease- males/females - Deaths from chronic liver disease including cirrhosis (International Classification of Diseases, version 10: K70, K73-K74), all ages, males/females, directly age-standardised rate per 100,000 population (standardised to the European standard population). Knowledge and Intelligence Team (North West) from the Public Health Mortality File for 2010-2012 and Office for National Statistics mid-year population estimates for 2010-2012.
7,8	Alcohol-related mortality - males/females - Deaths from alcohol-related conditions, all ages, males/females, directly age- standardised rate per 100,000 population (standardised to the European standard population). Knowledge and Intelligence Team (North West) from the Office for National Statistics Public Health Mortality File for 2012 and mid-year population estimates for 2012.
9	Alcohol-specific hospital admission - under 18s - Persons admitted to hospital due to alcohol-specific conditions, under 18 year olds, crude rate per 100,000 population. Knowledge and Intelligence Team (North West) from hospital episode statistics 2010/11 to 2012/13. Office for National Statistics mid-year population estimates 2010, 2011 and 2012. Does not include attendance at Accident and Emergency departments.
10, 11	Alcohol-specific hospital admission - males/females - Persons admitted to hospital due to alcohol-specific conditions, all ages, males/females, directly age-standardised rate per 100,000 population (standardised to the European standard population). Knowledge and Intelligence Team (North West) from hospital episode statistics 2012/13. Office for National Statistics mid-year population estimates 2012. Does not include attendance at Accident and Emergency departments.
12, 13, 14, 15	Alcohol-related hospital admission - males/females - Persons admitted to hospital due to alcohol-related conditions (broad measure [primary diagnosis or any secondary diagnosis] and narrow measure [primary diagnosis or any secondary diagnosis with an external cause]), all ages, males/females, directly age-standardised rate per 100,000 population (standardised to the European standard population). Knowledge and Intelligence Team (North West) from hospital episode statistics 2012/13. Office for National Statistics mid-year population estimates 2012. Does not include attendance at Accident and Emergency departments.
16, 17	Admission episodes for alcohol-related conditions - Admission episodes for alcohol-related conditions (broad measure [primary diagnosis or any secondary diagnosis] and narrow measure [primary diagnosis or any secondary diagnosis with an external cause]), all ages, directly age-standardised rate per 100,000 population (standardised to the European standard population). Knowledge and Intelligence Team (North West) from hospital episode statistics 2012/13. Office for National Statistics mid-year population estimates 2012. Does not include attendance at Accident and Emergency departments.
18, 19, 20	Alcohol-attributable recorded crimes - Alcohol-related recorded crimes (based on the Home Office's former 'key offence' categories), all ages, persons, crude rate per 1,000 population. Knowledge and Intelligence Team (North West) from Office for National Statistics recorded crime statistics 2012/13. Office for National Statistics 2011 mid-year populations. Attributable fractions for alcohol for each crime category were applied where available, based on survey data on arrestees who tested positive for alcohol by the UK Prime Minister's Strategy Unit.
21	Abstainers synthetic estimate - Abstainers: Mid 2009 synthetic estimate of the percentage of abstainers in the population aged 16 years and over who report abstaining from drinking. Estimates were derived from a statistical model developed to estimate the percentage of abstainers, lower risk (as a percentage of drinkers), increasing risk (as a percentage of drinkers) and higher risk drinkers (as a percentage of drinkers) in local authority populations. The Local Alcohol Profiles for England 2012 refresh of this indicator (and included in subsequent refreshes of data) was generated using an enhanced methodology (see metadata for details) and care should be taken when comparing these with previous estimates.
22	Lower Risk drinking (% of drinkers only) synthetic estimate - Lower risk drinking (as a percentage of drinkers): Mid 2009 synthetic estimate of the percentage of drinkers in the population aged 16 years and over who report engaging in lower risk drinking (consumption of fewer than 22 units of alcohol per week for males, and fewer than 15 units of alcohol per week for females). Estimates were derived from a statistical model developed to estimate the percentage of abstainers, lower risk (as a percentage of drinkers), increasing risk (as a percentage of drinkers) and higher risk (as a percentage of drinkers) drinkers in local authority populations. The Local Alcohol Profiles for England 2012 refresh for this indicator (and included in subsequent refreshes of data) was generated using an enhanced methodology (see metadata for details) and care should be taken when comparing these with previous estimates.

Knowledge & Intelligence Team (North West)

Public Health England Room 2.09 2nd Floor Liverpool John Moores University Henry Cotton Campus 15-21 Webster Street Liverpool L3 2ET

Tel: +44(0)151 231 4535

Fax:

+44(0)151 231 4552

Email:

KITNorthWest@phe.gov.uk

Website:

http://www.nwpho.orq.uk http://www.gov.uk/phe





ID	Definition
23	Increasing Risk drinking (% of drinkers only) synthetic estimate - Increasing risk drinking (as a percentage of drinkers): Mid 2009 synthetic estimate of the percentage of drinkers in the population aged 16 years and over who report engaging in increasing risk drinking (consumption of between 22 and 50 units of alcohol per week for males, and between 15 and 35 units of alcohol per week for females). Estimates were derived from a statistical model developed to estimate the percentage of abstainers, lower risk (as a percentage of drinkers), increasing risk (as a percentage of drinkers) and higher risk (as a percentage of drinkers) drinkers in local authority populations. The Local Alcohol Profiles for England 2012 refresh for this indicator (and included in subsequent refreshes of data) was generated using an enhanced methodology (see metadata for details) and care should be taken when comparing these with previous estimates.
24	Higher Risk drinking (% of drinkers only) synthetic estimate - Higher risk drinking (as a percentage of drinkers): Mid 2009 synthetic estimate of the percentage of drinkers in the population aged 16 years and over who report engaging in higher risk drinking (consuming more than 50 units of alcohol per week for males, and more than 35 units of alcohol per week for females). Estimates were derived from a statistical model developed to estimate the percentage of abstainers, lower risk (as a percentage of drinkers), increasing risk (as a percentage of drinkers) and higher risk drinkers (as a percentage of drinkers) in local authority populations. The Local Alcohol Profiles for England 2012 refresh for this indicator (and subsequent refreshes of data) was generated using an enhanced methodology (see metadata for details) and care should be taken when comparing these with previous estimates.
25	Binge drinking (synthetic estimate) - Synthetic estimate of the percentage of adults who consume at least twice the daily recommended amount of alcohol in a single drinking session (that is, eight or more units for men and six or more units for women). Estimates produced for the Association of Public Health Observatories (2007-2008). Revised dataset published March 2011 and updated to Local Alcohol Profiles for England resources in April 2012. Please see Public Health Observatories Datasets for further information: www.apho.org.uk/resource/view.aspx?RID=91736.
26	Employees in bars - % of all employees - The number of those in employment in the beverage serving activities industry sector (Standard Industrial Classification 2007: 563), as a percentage of all in employment. Business Register and Employment Survey September 2012, Office for National Statistics from Nomis: www.nomisweb.co.uk.

Knowledge & Intelligence Team (North West)

Public Health England Room 2.09 2nd Floor Liverpool John Moores University Henry Cotton Campus 15-21 Webster Street Liverpool L3 2ET

Tel: +44(0)151 231 4535 Fax: +44(0)151 231 4552 Email:

Email: KITNorthWest@phe.gov.uk Website: http://www.nwpho.orq.uk http://www.gov.uk/phe