



Coventry

Joint Strategic Needs Assessment 2016



COVENTRY JOINT STRATEGIC NEEDS ASSESSMENT 2016

www.coventry.gov.uk/jsna/



WEST MIDLANDS FIRE SERVICE



Table of Contents

About the Joint Strategic Needs Assessment (JSNA)	5
Purpose	5
Ownership	5
Priorities	5
Process	5
Prioritisation.....	6
Overview of Coventry.....	7
Population	7
Latest estimates.....	7
Migrant Health Needs Assessment	8
Population projections	9
Ageing population	9
Children aged 0-15 years	12
Housing	12
Household composition	12
Housing demand.....	12
Homelessness	13
Fuel poverty	14
Winter deaths.....	14
Skills and education	15
Educational attainment	15
Economy and business	17
Employment and support allowance.....	18
Jobseekers allowance	18
Impact of welfare reform	19
Wider economic performance.....	19
Crime and violence.....	19
Reported and recorded incidents of violence	19
Domestic violence and abuse.....	20
Sexual violence.....	20
Inequalities	21
Marmot.....	21
English indices of deprivation	21

Life expectancy	22
Life expectancy at birth	22
Disability-free life expectancy	22
Healthy life expectancy at birth	22
What drives inequality in life expectancy?	23
Vulnerable children and young people.....	25
Looked after children and safeguarding	25
Looked after children	25
Children subject of a child protection plan	25
Educational attainment and employment outcomes	25
Health assessments	26
Pupils receiving free school meals	26
Special educational needs (SEN).....	26
Looked after children with SEN	27
Children in need with SEN.....	27
SEN support primary need	27
Child poverty	31
Teenage pregnancy and teenage parents	31
Young people not in education, employment or training (NEET)	32
Child sexual exploitation and female genital mutilation	33
Child sexual exploitation	33
Female genital mutilation (FGM)	34
Mental health and wellbeing	35
Adult mental wellbeing	36
Severe mental illness.....	37
Dementia	37
Children and young people mental wellbeing.....	39
Self-harm and suicide	39
Physical wellbeing.....	39
Substance misuse	39
Alcohol	40
Smoking.....	42
Physical activity	43
Active lifestyle	43

Obesity and excess weight	43
Predictors of lifestyle risk	44
Long-term conditions	44
Overview	44
Premature mortality	45
National comparisons	45
Cancer	46
Cardiovascular disease	47
Chronic obstructive pulmonary disease	48
Diabetes	49
Demand for care	49
Adult social care	49
Disabilities	50
Falls and frailties	51
Infectious diseases	52
Immunisations	52
Childhood immunisations.....	52
Influenza	53
Tuberculosis	53
Sexually transmitted infections.....	54
HIV	54

About the Joint Strategic Needs Assessment (JSNA)

Purpose

The Joint Strategic Needs Assessment (JSNA) looks at the current and future health and care needs of the local community. It is intended to inform and guide the planning and commissioning of health, wellbeing and social care services within a local area. It considers factors that impact on the health and wellbeing of the local community including economic, education, housing and environmental factors; as well as local assets that can help improve things and reduce inequalities.

Ownership

The JSNA is owned by Coventry's Health and Wellbeing Board (HWBB), a meeting place for local commissioners across the NHS, people in public health and social care, councillors and representatives of HealthWatch. The group work to improve the health and wellbeing of local people and reduce health inequalities through the development of the Health and Wellbeing Strategy. Board members work together to understand their local community's needs, agree priorities and encourage commissioners to work together in order which results in better services. Coventry's Health and Wellbeing Board meets every two months. The Board is supported by a Delivery Group and has regular development sessions with a wider range of stakeholders.

- Find out more about the Health and Wellbeing Board at www.coventry.gov.uk/hwbb/.

Priorities

The Council's overall priorities are set out in the Council Plan, Coventry: A Top Ten City. The priorities of the Council Plan are delivered through key strategies – of which the Health and Wellbeing Strategy is one of those strategies.

- Find out about the Council Plan at www.coventry.gov.uk/councilplan/.

Process

National guidance recommends that the process of developing the JSNA runs alongside and is linked to the development of the Health and Wellbeing Strategy. In Coventry, we are updating the JSNA alongside a new Health and Wellbeing Strategy. Together, this gives the HWBB information that they need to work together to understand and agree the needs of the local populations, whilst setting priorities for collective action.

The current JSNA process started in April 2015. It started with a review of the 2012 Health and Wellbeing Strategy, alongside a wide ranging study of data, information and resources about the key health and social care issues affecting Coventry residents. This exercise was largely desk based; but involved representatives from across health and care to ensure it was as comprehensive as possible.

In August to October 2015, a stakeholder call to evidence was undertaken. This gave various organisations working for the health and care of Coventry people an opportunity to review the evidence collated so far, and to include additional issues for consideration in the JSNA. As part of the call for evidence, we received 53 responses from 28 organisations. The

priorities and themes that emerged from this process were incorporated into a long list of potential topics that were then rationalised.

Due to the complex, multi-faceted nature of health and wellbeing, the different issues identified through the review of evidence and call for evidence required consideration as potential priority topics. In order to focus on the areas of ‘greatest’ need, a more robust, transparent and inclusive means of determining the City’s health and wellbeing priorities has been developed. This involved the use of a prioritisation matrix whereby each of the suggested topics was scored against a number of indicators, including the numbers of the population affected, scale of the impact and the economic costs associated with the issue.

- Find out about the prioritisation matrix at [http://democraticservices.coventry.gov.uk/documents/s25824/Update on Joint Strategic Needs Assessment and Development of the Health and Wellbeing Board-Apppe.pdf](http://democraticservices.coventry.gov.uk/documents/s25824/Update%20on%20Joint%20Strategic%20Needs%20Assessment%20and%20Development%20of%20the%20Health%20and%20Wellbeing%20Board-Apppe.pdf)

The outcome of the prioritisation process highlighted the following key areas of focus:

Themes	Sub-themes
Mental health and wellbeing	Children and adults mental health Dementia Self-harm
Long-term conditions	Cancer Cardiovascular disease COPD
Physical wellbeing	Obesity – diet & physical activity Substance misuse (smoking and alcohol)
Infectious diseases	HIV Tuberculosis Immunisations
Resilience of health and social care system	Admissions to hospital Winter deaths Falls prevention
Children and young people	Teenage pregnancy and teenage parents Vulnerable children and young people, including looked after children Educational attainment / employment opportunities
Economy and health	Jobs and economy
Housing and health	Homelessness Fuel poverty

Prioritisation

In November 2015 to January 2016, a number of Health and Wellbeing Board sessions were held to present the outcomes of the prioritisation process. These sessions identified a manageable number of priority health and wellbeing needs to be addressed through the Health and Wellbeing Strategy. The above topics were discussed at these sessions, with attendees receiving short evidence-based presentations around why these topics should be considered as a priority in Coventry. Health and Wellbeing Board members then debated the case for final selection and ranked those topics that they felt needed to be addressed

through the revised Health and Wellbeing Strategy. The following topics were chosen by the Board:

- working together as a Marmot City to reduce health and wellbeing inequalities;
- improving the health and wellbeing of individuals with multiple complex needs; and
- developing an integrated health and care system that provides the right help and support to enable people to live their lives well.

These issues have been integrated into the new Health and Wellbeing Strategy for 2016-2019, and will be reviewed again in 2019-2020.

Overview of Coventry


Population

Latest estimates

The latest Office of National Statistics (ONS) population estimate for Coventry is 345,385 people in 2015; compared to 337,428 in 2014; a 2.3% year on year increase. As has been the case in recent years, the annual population increase between mid-2014 and mid-2015 in Coventry was estimated to be amongst the highest in the UK. Coventry's growth rate since 2000 is now slightly higher than the national average, and the main factors causing population growth in Coventry are international migration and the number of births in the city.

Coventry is a relatively young city and has been becoming younger on average in recent years; with an average age of 33.5 years; lower than England's average of 40 years, see Figure 1 Coventry Population Pyramid 2015. Specifically, Coventry has a large proportion of people between 20 and 25 years, in part due to the presence of two large universities, Coventry University and the University of Warwick. However, using the most recent ONS estimates, there is still a significant number of older people, with 35,000 aged over 70.¹ Coventry has a large proportion of people from black and minority ethnic (BME) communities. The most recent census recorded that 26.2% of Coventry residents were from BME backgrounds, compared to the 14.6% average across England.²

Figure 1 Coventry Population Pyramid 2015



The main cause of population growth in Coventry can be linked to net international migration. This means that there are less people migrating abroad from the city than there are people migrating to the city from abroad. This can be seen as a result of the number of international students studying at local universities in the Midlands.³ ONS data suggests that over 78,000 Coventry residents were born abroad.⁴

- Read the population estimate 2015 report at <http://www.coventry.gov.uk/downloads/download/3597/>.

Migrant Health Needs Assessment

The Migrant Health Needs Assessment estimates that over 80% of recent migrants in Coventry are aged between 15 and 44 years and have broadly similar general health needs to people of a similar age born in the UK, although some issues affecting particular communities within primary care were identified.

It is important to consider that migrants are a diverse group and health needs will vary significantly and, additionally, that migration is a dynamic process which is influenced by a myriad of geopolitical, social and economic factors. Furthermore, the term ‘migrant’ is a far-reaching term, encompassing a range of experiences, for instance, it includes economic migrants, international students, asylum seekers and refugees and each group is likely to have different health needs.

The Migrant Health Needs Assessment identifies that over 100 languages are spoken in Coventry and 9% of households do not have a single person within the home who speaks English as a first language. It is also identified that barriers to accessing appropriate services, discrimination, income inequality and potential social isolation may have an impact on health inequality. It is also noted that the importance of health promotion and disease

prevention measures are often overlooked when considering the specific health needs of the diverse migrant community.⁵

- Read the Migrant Health Needs Assessment at <http://www.coventry.gov.uk/downloads/download/3774/>.

Population projections

Population projections from the ONS are calculated by casting forward the patterns of change in births, deaths and migration from today. Using this methodology, Coventry's population is projected to increase to 361,400 in 2021, a 7.2% increase from 2015. The ONS, however, emphasise that these estimated projections do not take into account changes in government policy or economic factors which may have an impact on population levels.⁶

No official population projections based on ethnicity are produced which limits modelling on this topic.⁷

Ageing population

When projections from 2015 and 2020 are compared, there is an increase in the number of people aged 65 years and older (49,500 to 52,500 in 2020). However, the proportion of Coventry's population aged 65 years and older is projected to stay constant from 2015 to 2020 (14.7%) as an increase in Coventry's population is also predicted.⁸

Improvements in mortality rates have been greater for men than women, with the number of men aged 75 years and older increasing by 149% since mid-1974. By comparison, the number of women in the same age group has increased by 61%.⁹ This difference is also represented in population projections where it is estimated that the number of males aged over 65 years will increase by 8% when projections for 2015 and 2020 are compared (22,200 and 24,000 respectively). In contrast, the number of females aged over 65 years is projected to increase by 4% when 2015 projections (27,200) are compared to 2020 estimates (28,400).¹⁰

Furthermore, the live birth rate (per 1,000 females aged 15-44 years) has reduced from 68.8 in 2011 to 61.1 in 2014, and has been predicted to remain constant in the near future.¹¹ This again suggests that Coventry will follow predicted national trends and will have an increasing population aged over 65 years.

Age friendly cities

Coventry has received designation as an age friendly city. Age friendly cities is an international initiative led by the World Health Organisation (WHO) to engage cities to be more age friendly, value older people and ensure that older people have a good quality of life. The initiative provides a vehicle for a variety of organisations to work together to promote and improve the health and well-being of older people, whilst also valuing the positive contribution they can make to the city.

The work continues to improve our understanding of issues facing older people such as social participation, transport and communication.

- Read the age friendly cities baseline assessment for Coventry at <http://www.coventry.gov.uk/downloads/file/17176/>.

Impact of an ageing population: potential social isolation

While just under a third of households in Coventry were reported in 2011 to be single-person households, there are also projected increases in people aged 65 years and older who are living alone. This may indicate a potential increase in possible levels of social isolation; however the number of people aged over 65 years living alone can only be considered to be a proxy measure. Nevertheless, it may be relevant to consider how this could impact the provision of future services. The King's Fund notes the importance of working to reduce social isolation and supporting people to maintain their independence.¹²

In 2015, 6,550 of the population of Coventry aged 65-74 years were projected to live alone and this is projected to increase to 6,640 in 2020, an increase of 1.4%. For the proportion of the population aged 75 years and older, the number of people living alone is projected to increase from 11,689 to 12,836 in 2020, an increase of 9.8%.¹³

The impact of this on future service provision and health outcomes is an area for further consideration. The *Marmot Review: Fair Society, Healthy Lives* considers that social networks and social participation can be considered protective factors against dementia or cognitive decline for those aged over 65 years.¹⁴ It is also referenced that those who are socially isolated are between two and five times more likely to die prematurely than those who have stronger social ties. Social networks are also seen to have a greater effect on the risk of mortality, in that they help people to recover once they have become ill.

The Adult Social Care Outcomes Framework reports results from the annual Adult Social Care Survey (2013/14) and the biannual Carers Survey (2014/15) which asks whether social care users and carers have as much social contact with others as they would like.¹⁵ Under half, 43.1%, of adult social care users are reported to have as much social contact as they would like. This stands slightly lower than reported rates for the West Midlands (44.2%) and England (44.8%). In terms of those providing care, 38.4% of carers aged 18 years and over state they have as much contact as they would like which stands at a similar proportion to the West Midlands (38.4%) and England (38.5%). However, there will be a number of factors which could influence individuals' response to this question such as the severity of health and social care needs of the person for which care is provided, along with the level of demand that is placed on carers.

Age Friendly City Initiative and its governance board are prioritised social isolation because it recognises that it is a serious issue for many older residents in Coventry. In terms of the loneliness index Coventry ranks 59 out of 326 (1 being the worst and 326 being the best) at a Local Authority level. Nobody is immune to being socially isolated, but some older people are at greater risk than others, due to personal or wider societal barriers such as personal health, mobility, income, retirement (other changes such as caring, giving up driving), transport, physical environment (lack of public toilets), housing, fear of crime etc.

The evidence is overwhelming in terms of its impact; it can have a detrimental effect on a person's mental and physical health. It also impacts on a person wellbeing and increase the onset of frailty and functional decline. It can have far reaching consequences the wider

communities. Research shows that lacking social connections is as damaging to our health as smoking 15 cigarettes a day (Holt-Lunstad, 2010). Social networks and friendships not only have an impact on reducing the risk of mortality or developing certain diseases, but they also help individuals to recover when they do fall ill (Marmot, 2010).

Increasing demand for residential care home places

Along with projected increases in the Coventry population aged over 65 years old, it is also projected that there will be an increase in the population who will be in residential care homes. In 2015, it was projected that 1,324 people will reside in a care home with or without nursing provision and in 2020 this number is projected to increase to 1,454, an increase of ten percentage points.¹⁶ It should be considered that this would also include those who self-fund their care as well as those accessing local authority support. The Adult Social Care Outcomes Framework notes there are 768 permanent admissions to residential and nursing care homes per 100,000 of the population aged 65 years and older.¹⁷

Unpaid care

With a projected increase in the population aged 65 years and older, it is also relevant to consider the role of informal and unpaid care in filling potential gaps in health and social care service provision. Projected numbers of people providing unpaid care are estimated to increase and there is a notable projected increase in the number of people aged 65 years and older providing 50 hours or more of care a week. Of the projected 3,199 people in 2020 aged over 65 who are estimated to provide more than 50 hours of care a week, it is projected that 457 will be aged over 85 years (14%).¹⁸ Consequently, it is relevant to consider how the system responds to the needs of ageing carers and Coventry City Council's Carers' Strategy should be considered as part of this.¹⁹

Better care

Coventry's better care vision is "through integrated and improved working, people will receive personalised support that enables them to be as independent as possible for as long as possible". Four core projects are now operating:

- urgent care – reducing emergency admissions to hospital;
 - home first – providing short-term support to maximise independence (and therefore reduce pressures on residential care by providing a single point of access to short-term support at home;
 - long-term care – integrated working that ensures people receive personalised support that enables them to be as independent as possible for as long as possible within their local community; and
 - dementia – enabling people and their carers to live as independently as possible, and to 'live well'.
-
- Find out more about better care at <http://www.coventry.gov.uk/info/192/0/2330/>.

Children aged 0-15 years

The latest population estimate for 2015 suggests there are 67,767 children aged 0-15 living in Coventry.²⁰ These include: 23,714 aged 0-4; 26,016 of primary school age (aged 5-10); 18,037 of secondary school age (aged 11-15).

Children aged under 5

There are relatively more households with dependent children in Foleshill – and in particular, 1 in 10 children in that ward are aged under 5, comprising 11% of the total population of the ward. Radford, Henley, Holbrook and Longford wards are also noted to have higher populations of children aged under 5 and it is notable that the wards with higher populations of under 5 years tend to be in those wards with higher levels of deprivation. A more even distribution of children aged 5-14 years is seen across Coventry.

Population projections for those aged between 0-15 show that increases across all age ranges are predicted; see Table 1 Population projection children aged 0-14, 2015 compared to 2021.²¹

Table 1 Population projection children aged 0-14, 2015 compared to 2021

Age	2015	2021
0-4	24,000	26,000
5-9	22,000	24,000
10-14	18,000	22,000
Total <15s	64,000	72,000

Housing

Household composition

In the 2011 census, 31% of households in the city were one person households, with a similar proportion (31%) having dependent children. This figure is slightly higher than the rate of households including children in England (29%). Of these households, 12,400 are lone parent households (10% of all households with children) and this is higher than the rate for England (7%).

At a ward level, Foleshill has the highest number of households with dependent children (44%). Both Wainbody and Whoberley have lower levels of households which include dependent children (30% and 23% respectively) and both of these areas are known to have a high number of students residing there.²²

Housing demand

In 2013-2015, Coventry was the fastest-growing city in terms of population outside of London and the South East, with a 2.3% increase in the population per year. Combined with continuing job growth, there is an on-going demand for housing.

As part of the Council's evidence gathering for the local plan, it commissioned a strategic housing market assessment which surveyed housing supply and demand. In 2011, the vast majority (82%) of the 133,185 homes in Coventry were in private ownership²³, while around one in five (18%) of homes in 2011 were considered affordable housing and were mainly owned by registered providers. Affordable housing is strongly concentrated in areas such as Tile Hill, Hillfields, Willenhall, Bell Green and Alderman's Green and that there was over-

provision of housing in council tax bands A and B (71% of the total housing stock) and an under-provision of properties in bands E and above. An over-representation of terraced housing is also reported and this is supported by the 2011 Census where it is noted that 43% of housing in Coventry was terraced.²⁴ In contrast, 10% of households in the city are detached and over a quarter (28%) are semi-detached.

It is known that poor housing conditions, including overcrowding and homelessness, are associated with an increased health risk, specifically of cardiovascular diseases, respiratory conditions and mental health problems.²⁵ In Coventry, as of the 2011 census, 61% of homes were owner occupied (69% in 2001) and 17% were rented from the Housing Association or a Social Landlord (18% in 2001).²⁶ In addition, 9.5% of housing was deemed overcrowded. This is defined as those households that have at least one less room than required based on the size and profile of the household.²⁷

Increasing the supply, choice and quality of housing is a key priority of the Council set out in the Council Plan, and while it is unable to build its own housing, the Council is supportive of developers to build larger family homes in the city.²⁸

Housing requirement

Coventry is part of the Coventry and Warwickshire Housing Market Area. Based on the most recent population projections, the housing requirement for Coventry and Warwickshire from 2011-2031 is for just over 88,000 dwellings – including 42,400 to meet Coventry's need. An assessment of land availability indicates that Coventry has enough land for just 24,600 houses; so the Council has entered into formal agreements with the Warwickshire districts (except Nuneaton and Bedworth) to redistribute the remaining 17,800 houses required outside of the city's boundaries. Of the 24,600 houses, around 17,000 can be accommodated on brownfield sites, with the remaining 7,000 needing to be on previously undeveloped, greenfield land.²⁹

Homelessness

In 2015/16, 533 households were statutorily homeless, compared to 635 in 2014/15 and 551 in 2013/14.³⁰ The latest comparator, for 2014/15, shows that at 4.7 per 1,000 households, Coventry's level of statutorily homelessness is higher than both the rates in the West Midlands and England (3.4 and 2.4 per 1,000 households, respectively).³¹

Predominant reasons for homelessness include the loss of rented accommodation due to termination of a short hold tenancy (27%), the violent breakdown of a relationship (16%), and parents no longer willing or able to accommodate their offspring (14%, 2012 figures). The most common reason for being deemed a priority need is where a household contains dependent children (67%), and the predominant household composition is a lone female parent (52%, 2012 figures).³²

Research from Shelter, a housing and homelessness charity, shows that low income, unemployment and poverty are almost universal factors in homelessness.³³ Certain groups of people in society are more likely to be economically and socially disadvantaged; groups such as lone parents, people with mental health problems, care leavers and other people leaving institutions, and people from ethnic minorities are suggested to be more likely to experience homelessness.

Income deprivation is associated with homelessness, as is alcohol and substance misuse.³⁴ Consequently, homelessness deepens an existing inequality. Nationally, the average age of death of someone who is homeless is 47 years. Being homeless is associated with a 3-fold risk of chronic lung disease, a 3-fold risk of suicide and a 7-fold increased risk of HIV and hepatitis compared to the general population.³⁵ Identifying and managing those vulnerable to homelessness can prevent the consequences of housing loss.

Medical students from Warwick Medical School carried out a health needs audit of 44 people who sleep rough in Coventry. The results of this audit indicated that the most commonly reported health issues were dental and joint problems. In addition, high levels of depression and anxiety were also reported.³⁶

Barriers restricting the access of appropriate healthcare were also identified and included difficulty in obtaining primary care appointments when people did not have a fixed address, along with difficult relationships with healthcare professionals and the problem of accessing appropriate mental health support when there is also a dual diagnosis of substance misuse. Patients who are homeless are also noted to have a tendency to present late with advanced illnesses.

Fuel poverty

A household is said to be in fuel poverty if it has fuel costs that are above the national median average level and, were that amount to be spent, the household would be left with an income below the official poverty line.³⁷ Around 20,600 households in Coventry were fuel poor in 2013. This equates to 16% of all households, and is significantly higher than rates in the West Midlands and England (14% and 10% respectively).³⁸ There has been little change in the proportion of fuel poor households in Coventry since 2011. Within Coventry, the proportion of homes with central heating ranges from 94.9% in Longford to 98.9% in Wainbody.³⁹

Fuel poverty is associated with income deprivation, and the majority of those who are fuel poor are in the lowest deprivation deciles.⁴⁰ The elderly are particularly vulnerable to ill health when living in a cold home. Interventions for fuel poverty, such as utilising energy efficient measures, and providing central heating, can prevent cold-related ill health and reduce hospital admissions and excess winter deaths.⁴¹

See also:

- Fuel poverty and the Council at www.coventry.gov.uk/fuelpoverty/.
- Fuel poverty profile at <http://fingertips.phe.org.uk/search/low%20income#gid/1/pat/6/ati/101/page/0/par/E12000005/are/E08000026>.

Winter deaths

Excess winter deaths are the additional deaths from all causes that occur during the winter months over and above what would be expected in the non-winter months. The number of excess winter deaths is dependent upon factors such as the ambient outdoor temperature and the level of disease in the population. Around 130 excess winter deaths occur in Coventry every year. The excess winter mortality index is a measure of the excess winter

mortality compared to the average non-winter mortality for that year. The excess winter mortality index in Coventry was 17.8% from 2010-2013 (this means that the death rate was 17.8% higher during the winter months). This was slightly higher than it had been at 16.8% from 2006-2009.⁴² There is little difference in the excess winter mortality index between Coventry, the West Midlands and England as a whole.

The majority of excess winter deaths are due to cardiovascular and respiratory diseases, such as influenza, and most deaths occur in those aged over 75 years.⁴³ Addressing fuel poverty and improving influenza vaccination rates in eligible people may help reduce excess winter deaths.

Skills and education

Educational attainment

Children's educational attainment is primarily monitored at age 5, 7, 11, 16 and 18. That is, the early years foundation stage and school readiness at age 5; key stage 1 assessments at age 7; key stage 2 assessments at age 11; GCSE (Key stage 4) examinations at age 16, and A-Levels (key stage 5) examinations at age 18. The information below sets out the latest available information, for 2015; but going forward the government is changing the way that educational attainment is reported and new targets will be established later in 2016. However, future data will not be comparable to existing data.

Early years

In 2015 there was strong improvement in the proportion of children aged five at a good level of development, with 63.9% of Coventry children achieving this level. However improvement across England overall was greater (66.3%) and Coventry's performance remains worse than the national average. That said, Coventry's performance is comparable to local areas with a similar level of need and deprivation as Coventry (63.3%).⁴⁴

A measure of deprivation is the number of children eligible for free school meals (FSM). While children eligible for FSM do not do as well as others (53.2%), it is encouraging that they do better on the whole than the national average for children eligible for FSM (51.2%)⁴⁵. The areas with the lowest rates of good development at age five are Edgwick in Foleshill (46%) and Wood End, Henley Green & Manor Farm (49%).

Primary education


Education, children's services and schools are regulated and inspected by Ofsted. Coventry's primary school performance in the Ofsted league tables of local authorities have significantly improved over the past few years: in 2011/12, Coventry came bottom overall with 42% of pupils attending a school that was rated good or outstanding; and by May 2016, this has improved to 88%, better than the national average of 86% and the statistical neighbour average of 83%.

This was achieved through continued and sustained work: in early 2013, an area inspection of Coventry schools found that "there is still some way to go in establishing a widely understood and methodically delivered strategy for improvement"⁴⁶ while in 2013-2015, Coventry's education improvement strategy set out a series of school improvement

networks, that is, peer-led and peer-supported networks to raise standards in Coventry's schools and academies.⁴⁷

There was a small improvement in 2015 in attainment at the end of primary school with nearly 4 in 5 (78%) achieving the expected level, that is, Level 4 or above in reading, writing and mathematics at the end of key stage 2 (Year 6). This continued the trend from the previous two years of narrowing the gap with the national average. There are clear inequalities with some key groups, set out below, with notably lower attainment rates than average. These inequalities have persisted from last year, although the performance of disadvantaged pupils is no different from the national average and attainment rates amongst looked after children (LAC) is slightly better than average for LAC across England.


Figure 2 Key stage 2 gaps in attainment between key groups and the city average



Secondary education

In May 2016, 59% of Coventry children are attending a school rated good or outstanding by Ofsted. While this is an improvement from 53% in May 2015, it remains significantly worse than the statistical neighbour average of 77% and the national average of 79%. This poor performance is reflected in GCSE results too: results in 2015 was slightly lower than 2014 (51.0% compared to 52.3%) whereas the statistical neighbour and national attainment rate improved (to 53.4% and 57.1% respectively), so Coventry has fallen a little further behind the England average.

Figure 3 Key stage 4 gaps in attainment between key groups and the city average



Like at key stage 2, inequalities between groups are evident: it is notable that the inequalities have widened by key stage 4 for disadvantaged pupils and looked after children.

Economy and business

There is a clear association between being in good quality employment and better health. As a proportion of the economically active population, 66% of people in Coventry are employed (compared to 73% in Great Britain nationally and 70% across the West Midlands) and 6.5% are self-employed. There is also a gender difference within the city with 71% of economically active males in employment compared to 60% of females. The gross weekly pay for males living in Coventry and working full-time is £553.50 and £435.90 for females. While higher than the gross weekly pay rates for the West Midlands, the weekly pay rates are lower than compared to Great Britain (£570.40 for males and £471.60 for females). In 2014, 31% of employee jobs in Coventry were part-time and this is a similar level to that seen in the West Midlands and Great Britain.⁴⁸

Across Coventry, 6.2% of economically active working-age people are unemployed which is higher than that seen within the West Midlands (5.7%) and Great Britain (5.4%). This equates to 9,600 people. Coventry City Council's Council Plan Performance Report states that in the twelve months to June 2015, there were 144,500 economically active residents in employment and this is the highest number of people in employment since quarterly records began in 2004. However, it is also reported that female unemployment has increased and now stands at 6.4% and this is higher than the national average of 5.4%.⁴⁹

Of the economically inactive population (29.5%) in the city, 38% are students and the number of economically inactive students in the city has increased by 13,000 over the last ten years (October 2004 to September 2005 compared to October 2014 to September 2015). In addition, there has also been an increase of approximately 4,700 economically inactive people who look after the family or home over the same time period.⁵⁰

Employment and support allowance

There are three levels of employment and support allowance (ESA): support group, assessment rate and work related activity group (WRAG). Those in the work related activity group are considered capable of work at some point in the future and able to take steps towards moving into work.⁵¹ Just over a fifth (21.3%) of the 13,910 people claiming ESA are in this group as of May 2015, with 25.7% of claimants having their assessment processed. In contrast, just under half (49.9%) are in the support group and are those whose illness or disability means that their ability to work is severely limited.⁵²

Across those who are claiming ESA, just under half (47.7%) are claiming due to mental and behavioural disorders with 14.4% claiming due to diseases of the musculoskeletal system and connective tissue. Of those in the work related activity group, 48.6% of claims are recorded to be due to mental health or behavioural conditions.

Research from the Institute for Fiscal Studies notes there is systematic growth in the proportion of ESA claimants in any age group with mental and behavioural disorders as the principal health condition behind their claim.⁵³ Perhaps to be expected, the report indicates that physical health problems become more prevalent as claimants age and a higher proportion of ESA claims of younger men and women relate to mental and behavioural disorders. This demonstrates the importance of focusing on interventions that support mental wellbeing when people are progressing towards the labour market.

Jobseekers allowance

As of May 2015, there were 4,430 people claiming jobseekers allowance (JSA).⁵⁴ However, this is not considered an official measure of unemployment as not all people who are unemployed will claim JSA and this is further complicated by welfare reform which has meant that a proportion of ESA claimants have been found fit to work and moved onto JSA, along with the effects of claimant commitments required to access JSA which has seen an increase in the number of sanctions limiting access to this benefit. Looking at data from January to December 2015, it can be seen that 44% of those who no longer claimed JSA are recorded as having found a new job, or a role that involved working more than 16 hours a week. In contrast, 32% were recorded as not claiming without further explanation. While the reasons for this cannot be determined by the data, it is relevant to consider how those who are no longer claiming are supporting themselves.

There is clear employment inequality within the city, with 23% of Binley and Willenhall working-age residents claiming out-of-work benefits (including Employment and Support Allowance) compared to 4% of those in Wainbody.⁵⁵

Impact of welfare reform

Since April 2013 there has been a series of on-going reforms to welfare and it has been difficult to demonstrate the impact of these reforms to Coventry due to accessibility of data. Nevertheless, the total value of benefits that can be claimed had previously been capped at £26,000 which affected 127 households (as of July 2015). There are plans to reduce the cap to £20,000. It is unknown how many households across the city will be affected as it is not known how many households receive benefits between £20,000 and £26,000 in total.⁵⁶

It has already been noted that 21.3% of those claiming ESA are in the work related activity group and there are proposals for the level of benefit claimed by this group of claimants to be aligned to the rate claimed for JSA. This will represent a 30% cut in benefits.

Furthermore, it has also been suggested that those aged between 18 and 21 will not be automatically entitled to claim housing benefit. As of July 2015, there were 832 housing benefit claimants aged between 18-21 years across the city.⁵⁷ This offers only an indication of the possible impact of this welfare reform and it has been suggested that vulnerable people will be excluded from this reform, consequently, the impact of this on Coventry is not yet known.

While the effects of the full package of welfare reform cannot be demonstrated as yet, this is something that will need to be monitored to understand the impact on the social determinants of health and inequality in the city.

Wider economic performance

Coventry's 2015 Economic Review notes that after the recession, job creation broadly had little impact on employment levels in the city. However, from 2012 to 2015, resident employment levels have increased which suggests more residents have moved from unemployment into employment rather than becoming economically inactive.⁵⁸

There has also been an 11.3% year-on-year growth of enterprises in Coventry and this is a faster rate of growth than that in the West Midlands and England. Many of these are small business, with 77% employing fewer than 5 people.⁵⁹ Nevertheless, the city still has a low number of businesses per 10,000 of the population compared to England (326.2 and 480.8 respectively).⁶⁰

The Council's Jobs and Growth Strategy has the objective of ensuring that businesses continue to recognise Coventry as the right place for them to invest.⁶¹ In particular, there is also a focus on young people and improving the skills levels of local residents. Within Coventry, 15% of working age residents do not have qualifications and this is higher than that of the West Midlands (13%) and England (9%). However, just under a third (32%) are qualified to higher education level (January-December 2014), while this is higher than the level seen in the West Midlands (29%), it is lower than that seen in England (36%).⁶²

Crime and violence

Reported and recorded incidents of violence

Data from 2014/15 indicate that there were 13.1 recorded violent crime incidents per 1,000 people. Broadly, the rates are similar to England (13.5) and the West Midlands (12.8).⁶³

When looking at hospital admissions for violent crime, including sexual violence, it can be seen that rates for Coventry (87.5 per 100,000 of the population) are higher than that seen in the West Midlands (48.5) and England (52.4). When compared to areas of a similar level of deprivation, it can be seen that Coventry has the 7th highest rate of hospital admissions for violent crime (out of 33 local authorities).

Domestic violence and abuse

Domestic abuse is defined as incidents of threatening behaviour, violence or abuse between adults aged 16 years and older who are family members, or previous and current partners.

There has historically been under-reporting of domestic violence and abuse, and improved working by the police and other agencies are encouraging people to report the crime. There has been an increase in domestic violence and abuse cases involving children and this is thought to be the result of better recording – the risk, harms and threats to children are better identified and recorded, enabling agencies to respond to the needs of families and intervene earlier as required.

In 2015/16, there were 5,972 domestic violence offences (crime and non-crime) reported to the police, a 2.16% decrease from 6,104 in 2014/15.⁶⁴

When looking at the rates of domestic violence and abuse recorded by the police, this stands at 19 recorded crimes per 1,000 of the adult population in 2013/14 compared to 13 in 2012/13 and this level is broadly similar to the reported level for England and the West Midlands.⁶⁵

Coventry City Council's 2014/15 end of year performance report notes there were 5,849 victims of domestic violence and abuse, an increase from 5,359 in 2013/14.⁶⁶

An increase in these figures is seen to be a result of improvements in the identification and recording of incidents and may also be attributed to activity to encourage reporting. Such an increase is also seen in other areas of the West Midlands and at a national level.

- Find out more on the profile for domestic violence and abuse at <http://www.coventry.gov.uk/downloads/file/17116/>.

Sexual violence

When data from 2014/15 is compared to 2013/14, there is an increase from 431 reported and recorded incidents of sexual violence to 532 in 2014/15.⁶⁷ It should be considered that this captures crimes that were both reported and recorded by the police.

As noted in the review of the Health and Wellbeing Strategy for Coventry, this increase can be attributed to a range of possible factors. It has been noted that the population of Coventry has a younger age profile when compared to both a regional and national level. In addition, there has also been wider encouragement for those who have experienced sexual violence to report these crimes. It has also been noted that there has been an increase of disclosures of historic sexual abuse and so an increase in the reported numbers should be seen as an improvement as crimes which may have gone unrecognised are now being reported.

- Find out more on the profile for violence and sexual violence at <http://www.coventry.gov.uk/downloads/file/17122/>.

Inequalities

People who live in some parts of Coventry have worse health prospects than those who live in other parts of the city. Reducing these variations across the city is the key component of Coventry's participation as a Marmot city.

Marmot

The Marmot Review, *Fair Society: Healthy Lives*, notes that "people with a higher socioeconomic position in society have a greater array of life chances and more opportunities to lead a flourishing life".⁶⁸ The social determinants of health refers to the conditions in which people live, including where someone is born, where they live and whether they are in employment; these conditions are influenced by an array of external factors, including social and economic policies and have an impact on the health and social outcomes attained.⁶⁹

Coventry is one of seven cities in the UK which was invited to participate in the UK Marmot Network and become a Marmot city, ensuring the activities of Coventry City Council and our partners are focused on reducing health inequalities across the city. Coventry City Council has committed to work with partners across the city and revise its Marmot strategy which will be progressed over the next three years.

Reducing inequality across Coventry will have an impact on the life chances and health outcomes of people across the city. Understanding inequality, both its impact and what contributes to inequality across the city, will help support the identification of priorities and ensure that resources are effectively targeted. The following sections intend to explore the nature of inequality across the city.

- Find out more about Marmot at <http://www.coventry.gov.uk/info/176/policy/2457/>.

English indices of deprivation

The English indices of deprivation is a measure of relative deprivation in small areas in England. It looks at deprivation across a set of various domains, including employment, income, health, education, crime, access to services and the living environment.⁷⁰ It is important to note that this measure only acts as a broad indication of which areas could be prioritised to address multiple deprivation. An area has a higher deprivation score than another if it has a higher proportion of people who are considered deprived.

When English local authorities are ranked in terms of 'how deprived' the most deprived 10% of the local population are, Coventry is ranked as 38th most deprived. When considering the proportion of small neighbourhoods that are identified as the most deprived 10% in the England, Coventry is the 46th most deprived local authority. When looking at rankings, Coventry is ranked lower when looking at the proportion of most deprived neighbourhoods in each area, while the city is ranked higher when an average across the whole city is used. This demonstrates inequality across the city. For example, when looking at an average of scores across the city, Coventry is ranked 54th, demonstrating a 'better performance' than

when looking at the proportion of neighbourhood's population considered to be the most deprived 10% in England.

- Read the English indices of deprivation reports at <http://www.coventry.gov.uk/downloads/download/135/>.

Life expectancy

Life expectancy at birth

Coventry's life expectancy at birth is 82.3 years for females and 78.6 years for males.⁷¹ Life expectancy in Coventry is lower than the national average, but it is at the level expected given the city's level of deprivation. However there remains a wide inequality gap: a man from the most deprived area can expect to die 9.4 years younger than one from the least deprived area; and for a woman, the difference is 8.7 years. This compares to national figures of 9.2 and 7.0 respectively. Premature mortality (deaths under the age of 75) is higher in Coventry because of higher rates of premature mortality from cardiovascular disease, cancer and respiratory disease.

When Coventry's life expectancy is ranked against other local authorities in the West Midlands, female life expectancy is ranked 25 out of 30 areas and 23 for male life expectancy. However, when compared to areas with a similar level of deprivation, Coventry is ranked 9th out of 33 areas for female life expectancy and 8th for male life expectancy. As can be seen by the image below, wards with poorer outcomes include, Longford, Lower Stoke, Upper Stoke, Binley and Willenhall, Radford, St. Michael's and Foleshill.

See also:

- Male life expectancy at birth infographic at http://www.coventry.gov.uk/info/10/performance/1732/infographics_and_visualisations/2.
- Female life expectancy at birth infographic at http://www.coventry.gov.uk/info/10/performance/1732/infographics_and_visualisations/3.

Disability-free life expectancy

While life expectancy is increasing, data indicate that for males, disability-free life expectancy is decreasing and a similar trend has been demonstrated for women, however the difference is not as great.⁷² This indicates that while there have been improvements in life expectancy rates, these have not been matched by increasing the amount of time people spend in good health which may have an impact on service demand and quality of life. Further work to understand the relationship between increasing disability-free life expectancy and the effects this has on life expectancy may be a further area of analysis.

Healthy life expectancy at birth

In terms of healthy life expectancy, that is, years a person would expect to live in good health based on mortality rates and self-reported good health, the figures are 60.6 years for males and 62.7 for females. While this is above the combined authority area figures of 61.5

and 62.3 years, it is below the England figures of 63.4 and 64.0 respectively. The West Midlands Combined Authority is committed to increase healthy life expectancy to 62.3 years for males and 63.9 years for females by 2030.⁷³


What drives inequality in life expectancy?

By looking at data about the causes of death, it is possible to identify priorities that can have the greatest impact on reducing health inequalities.

Figure 4 Life expectancy gap between Coventry as a whole and England by broad cause of death 2010-2012 below indicates the contribution each broad cause of death has on the discrepancy in life expectancy between Coventry and England. When comparing Coventry with England, it can be seen that cancer has the greatest contribution to the gap in life expectancy for females, 43.9% of the gap in life expectancy is attributed to cancer, with respiratory disease contributing to 14.1% of the life expectancy gap.

Compared to females in Coventry, circulatory disease, including coronary heart disease and stroke, has a bigger effect on the life expectancy gap between males in Coventry and England. Cancer also has a smaller impact when compared to females at 9.9%. However, respiratory disease has a greater contribution at 26.5%.

Figure 4 Life expectancy gap between Coventry as a whole and England by broad cause of death 2010-2012



Source: Public Health England Segment Tool

Data is also available to show the conditions that contribute to the life expectancy gap between the most deprived and least deprived 20% in Coventry. Understanding these differences will help to challenge the life expectancy gap within Coventry. This is set out in Figure 5 and Figure 6.

For females, it can be seen that the greatest contribution to the gap in life expectancy is circulatory disease at 29.5%. If the most deprived quintile had the same mortality rates as the least deprived quintile then data indicate that 1.72 years could be added to life

expectancy. Respiratory disease explains 22.4% of the gap in life expectancy and would add 1.30 years to life expectancy if levels were the same as in the least deprived 20%.

Figure 5 Life expectancy gap between the most deprived 20% of Coventry compared to the least deprived 20% by broad cause of death 2010-2012





Figure 6 Life expectancy years gained if the most deprived 20% of Coventry had the same mortality rates as the least deprived-by broad cause of death 2010-2012



When looking at the factors that contribute to the gap in life expectancy for males, if the most deprived quintile had the same mortality rates attributed to respiratory diseases as the least deprived quintile then data indicate that 1.68 years could be added to life expectancy.

It can be seen that digestive diseases, which also include alcohol-related conditions such as chronic liver disease and cirrhosis, explain 14.1% of the gap in life expectancy, which is higher than that seen for females (8.9%). If rates of digestive disease were the same in the most deprived quintile as the least then this would add 1.1 years to life expectancy for males across the city.

This is also supported by looking at data which identifies the life expectancy gained if the most deprived 20% of neighbourhoods had the same mortality rates for causes of death that are wholly attributable to alcohol as the least deprived 20%. It can be seen that males would benefit from an average of 0.59 years gained compared to 0.23 years gained for females.⁷⁴

In line with the Marmot principle that health is socially determined, there are greater gains to be made in life expectancy if the gaps between the most and least deprived quintile in the city are addressed.

Vulnerable children and young people

Looked after children and safeguarding

Looked after children

Looked after children are children in the care of the local authority, either under a care order issued by the court, or voluntarily accommodated under arrangements with their parents/guardians. They may be placed in a number of settings for instance, with parents or relatives; with foster carers; or in a residential setting.

As of 31 March 2016, there were 582 looked after children; a rate of 78.5 per 10,000 children. This compares to 79.8 in the West Midlands Region and 64.6 in England. 74% of looked after children are in fostering; broadly consistent with the regional and national picture.⁷⁵

Children subject of a child protection plan

Children are made the subject of a child protection plan (CPP) when they are considered to be at risk of physical, sexual or emotional harm or neglect. Nationally the numbers have increased. It is unclear whether the rise in numbers is due to changes in the thresholds, increased awareness & referrals to social care due to the media coverage of high profile cases or whether there has been an increase in the neglect, abuse or misuse of children.

Of the 488 children with a child protection plan, 49% was due to emotional abuse; 41% due to neglect; 5% due to sexual abuse; and 4% due to physical abuse.⁷⁶

Educational attainment and employment outcomes

In 2015, 16% of Coventry children looked after continuously for at least twelve months achieved five or more A*-C GCSEs including English & Maths at first entry; similar to regionally and nationally.⁷⁷

In Coventry, 36% of those now aged 19-21 years who were previously looked after were in education, employment or training in 2014.⁷⁸ This is lower than the overall proportion in England (45%) and the West Midlands (41%).

In 2014, of those care leavers in Coventry not in education or employment, 6% reported illness and 9% reported parenting responsibilities. Data were unavailable for 13%.

It is suggested that placement moves, and related placement instability can impact on the psychological, social and academic outcomes achieved by a looked after child and can also inhibit the development of secure attachments.⁷⁹ Therefore, further understanding of the

experiences of those who previously have been looked after children will identify the impact this has had on their outcomes.

Health assessments

Under the performance assessment framework, local authorities in England are monitored on the uptake of annual health checks for children who were being 'looked after'. Children who have been looked after for 12 or more months are expected to have a health assessment. The health checks are a key tool in ensuring the health needs of all looked after children are identified. Initial and annual health assessments are important to ensure prompt identification of pre-existing, emerging and changing health needs.

In 2015/16, 85.4% of children looked after continuously for 12 months or more had up-to-date health assessments, down from 94.7% in 2014/15. This, however, may represent an administrative delay. The equivalent figures for dental assessments is 77.9%, down from 92.2% in 2014/15.⁸⁰

In terms of immunisation, 2014/15 data show that 84.8% of looked after children who have been looked after for at least 12 months were up to date in terms of their immunisations compared to 84.1% in the West Midlands and 87.8% in England.⁸¹

Pupils receiving free school meals

In 2014, universal free school meals were introduced for all pupils in reception or years 1 and 2 in state-funded schools and this has meant that parents of infants do not have to register to get free school meals, nevertheless, schools and parents are still urged to register as eligible for Free School Meals as this is a criterion for the pupil premium payment.

17.9% of pupils in Coventry are eligible for, and claiming Free School Meals compared to 17.8% in the West Midlands and 15.2% in England.⁸²

In terms of educational attainment, the Council monitors the result of white boys on free school meals as they are identified as a key priority group. In 2015, only 22% achieved 5+ A*-C GCSEs including English and Maths at first entry – a 29% gap from the city average of 51%.⁸³

Special educational needs (SEN)

Nationally, the number of pupils with special educational needs has reduced from 1,301,445 in 2015 to 1,228,785 in 2016. The reduction is due to a continuing decline in the number of pupils with special educational needs without a statement or education, health and care (EHC) plan. The most common primary types of needs have remained the same as in 2015, that is, 26.8% of pupils on SEN support have Moderate Learning Difficulty as a primary type of need; and 25.9% of pupils with a statement or EHC plan have Autistic Spectrum Disorder as a primary type of need.⁸⁴

In Coventry, 15.6% of pupils have a have a statutory plan of SEN (statement or EHC plan) or are receiving SEN support (previously school action and school action plus). This compares to an average of 15.3% across All English metropolitan boroughs.⁸⁵

Across all English metropolitan boroughs, the proportion of pupils with statements or education, health and care (EHC) plans ranges from 1.7% to 3.9%. Coventry has a value of 2.3%, compared to an average of 2.8% in All English metropolitan boroughs.

Looked after children with SEN

In Coventry, looked after children that are on SEN support stands at 48% compared to 38.1% in all English Metropolitan boroughs. Looked after children that have a statement of SEN or EHCP stands at 25.3% compared to 25.9% in all English Metropolitan boroughs.

Children in need with SEN

Children in need are legally defined as children who need local authority services to achieve and maintain a reasonable standard of health or development. These are also children who need local authority services to prevent further harm to their health and development and also children who are disabled.

In all English metropolitan boroughs, 28.7% of children in need are on SEN support and 20.3% have a statement of SEN or EHC plan. In Coventry, 34.2% of children in need are on SEN support and 16.1% of children in need have a statement of SEN or EHC plan.

SEN support primary need

A child or young person has SEN if they have a learning difficulty or disability which calls for special educational provision to be made for them. All pupils with SEN have an assessment of their primary need. The following charts show the breakdown of need in Coventry by primary (Figure 7), secondary (Figure 8) and special schools (Figure 9), compared to the national averages and ranked by prevalence.

Figure 7 SEN Primary Need: Primary Schools




Figure 8 SEN Primary Need: Secondary Schools





Figure 9 SEN Primary Need: Special Schools



Child poverty

Marmot suggests there is evidence that childhood poverty leads to premature mortality and poor health outcomes for adults. Reducing the numbers of children who experience poverty should improve these adult health outcomes and increase healthy life expectancy.

Under the Child Poverty Act (2010), a household is said to be in relative poverty when their income is less than 60% of the current median income.⁸⁶ This figure stands at 18.4% before housing costs have been considered.⁸⁷ Child poverty differs significantly between wards: in St Michael's, 47% of children are in relative poverty after housing costs; whereas in Earlsdon, 9% meet this criteria.

More up-to-date figures about child poverty are available from the End Child Poverty campaign. This suggests that 29% of children in Coventry are in relative poverty after housing costs in 2014, the latest year for which data is available.

See also:

- Child poverty infographics and visualisations at http://www.coventry.gov.uk/info/10/performance/1732/infographics_and_visualisations/5.
- Profile on child poverty at <http://fingertips.phe.org.uk/search/child%20poverty#gid/1/pat/6/ati/102/page/0/par/E12000005/are/E08000026>.

Teenage pregnancy and teenage parents

Teenage pregnancy are associated with negative impacts on outcomes, not just for the parent but also the children. Teenage parents are prone to poor antenatal health, lower birth weight babies and higher infant mortality rates; and their health, and that of their children, is likely to be worse than average. National research shows that the majority of teenage parents and their children live in deprived areas and often exhibit multiple risk factors for poverty, experiencing poor health, social and economic outcomes and inter-generational patterns of deprivation.⁸⁸ Teenagers who become pregnant are more likely to drop out of school, missing a key phase of their education, leading to low educational attainment and no or low-paying, insecure jobs without training.⁸⁹ In addition, the children themselves run a much greater risk of poor health, and have a much higher chance of becoming teenage mothers themselves.⁹⁰

In Coventry, 2013 data indicates that there are 39.5 conceptions in women aged under 18 years per 1,000 females aged 15-17 years, in total this equates to 227 teenage conceptions in Coventry which is the ninth highest for any local authority in England and Wales.⁹¹ This is higher than the levels seen in the West Midlands (28.9) and England as a whole (24.3), however, the teenage conception rate has reduced significantly over the previous years. The rate of teenage conceptions is known to be ten times higher in the most deprived areas. There are 7.3 conceptions per 1,000 females aged 13-15 years compared to 4.8 for England. Following national trends, the under 18s (Figure 10) and under 16s (Figure 11) conception rate, and in particular, the decrease in under 16s conceptions are closing on the national rate.

Figure 10 Conceptions to under 18s





Figure 11 Conceptions to under 16s



Young people not in education, employment or training (NEET)

The proportion of 16-18 year olds estimated to be not to be in education, employment or training (NEET) have decreased, from 7.4% in 2013 to 6.8% in 2014 and 4.7% in 2015. The rate however is still higher than the West Midlands Region (4.3%) and England (4.2%).⁹²

Note that young people not known to their local authority are excluded from these figures, nor are young people who are taking a gap year or who are in custody.⁹³ Consequently, in areas where there is a high number of 'unknowns' such estimates are likely to be less accurate.

School leavers who are NEET are no longer developing their skills and thus are more likely to suffer from low pay at work, both now and in the future. Having poor, or no, qualifications have a significant impact on future employability. It is known that being NEET for longer than 6 months is associated with an increased risk of having a criminal record, and of poor health and depression in the future.⁹⁴ There are greater levels of young people who are NEET in more deprived areas; while other factors that increase the risk include learning disabilities, parenthood and having responsibilities as a carer.⁹⁵

In April 2016, Prospects, a careers guidance organisation, was jointly commissioned by Coventry City Council and Warwickshire County Council to monitor and respond to the needs of NEETs.⁹⁶

Child sexual exploitation and female genital mutilation

Although the true extent of sexual violence, exploitation and female genital mutilation (FGM) is unknown, Coventry has the highest number of reported sexual assault offences per person in the West Midlands, 8.5% more than the second most affected regional area (Birmingham). It is estimated that approximately 42,460 adults living in Coventry have been victims of sexual violence at some stage of their adult lives, and there are an estimated 10,000 victims of rape and sexual abuse in the 0-16 year age band. Data for the prevalence of FGM is limited, but according to the 2011 Census data 3% (868) children aged 0-15 and 7% (5,422) women aged 16-49 living in Coventry were born in regions likely to be affected by FGM, and approximately 1.2% of women accessing UHCW's delivery services in 2014/15 were affected by FGM.

Sexual violence and exploitation, FGM and domestic violence have serious and long term health and social impacts on individuals and the Council deliver a range of programmes, services and interventions to prevent sexual violence, exploitation and FGM taking place and to support victims of domestic violence, sexual violence and FGM.⁹⁷

Child sexual exploitation

Child sexual exploitation (CSE) is a form of sexual abuse where a child or young person is exploited and receives something in 'exchange' for sexual activity. There is no specific criminal offence of CSE, however it can include other offences such as sexual assault, trafficking and abduction.⁹⁸ Across the West Midlands region, 754 children have been identified as being at risk of CSE and 15% of children identified were seen to be at the highest level of risk.

The Council commission a sexual violence support service, which is provided by CRASAC and provides free and confidential support and information to anyone from the age of 5 years old who has been affected by sexual violence, including victims, parents, partners, supporters and professionals. The service provides a telephone helpline, counselling provision, independent sexual violence advisor (ISVA) support, and befriending and

mentoring. Support from CRASAC enables victims of sexual violence to improve their confidence, know their rights, where to access help and support and results in a reduction of symptoms such as panic attacks, sleeping difficulties and improvements in other aspects of health and wellbeing.⁹⁹

Since March 2015 there has been a multi-agency CSE team, Horizon¹⁰⁰, which is made up of social workers, children and family workers, police and more recently a health worker. Horizon have been involved in awareness raising sessions for neighbourhood policing teams, taxi drivers, hotel staff, licensed premises staff, pharmacist and GPs. Training has also been delivered to place based services within the local authority to encourage a more joined up approach, with CSE now being a standing item at several place based meetings. In March 2016, Horizon also launched the CSE pledge urging both organisations and individuals to know the signs of CSE and how to report concerns. The awareness raising is critical as there is a need to understand the scale of the problem in order to tackle it effectively. Over the past 12 months, due to the success of the awareness raising, there has been a steep upward trajectory in relation to the number of children that are being identified as being at risk, or experiencing CSE. Where young people are identified Horizon staff work with the young person to build an enduring relationship to reduce the risk around that young person. Changes in risk are carefully monitored to ensure that the work of the team is effective; between May 2016 and June 2016 the risk for 55 young people reduced.

Disruption of locations and offenders is critical if CSE is to be tackled. The team have secured a number of innovative civil orders by working closely with the police and community safety, including: securing a Public Space Protection Order (PSPO) at a known local hotspot. This was reported positively by the local media and re-enforced the message that CSE will not be tolerated in Coventry; and securing a risk of sexual harm order in respect of an individual who was deemed to be risky to children.

- Learn about Coventry Horizon at www.coventry.gov.uk/coventryhorizon/.

Female genital mutilation (FGM)

FGM is a complex issue. It is illegal in the UK to undertake FGM, or to take a British national or a permanent resident abroad for FGM to be carried out. However, despite the harm it causes, some people from practising communities see it as a part of their cultural identity.¹⁰¹

Estimates suggest that, at a national level, 137,000 females live with FGM and it is suggested there are 60,000 girls aged 13 and under who are at risk of FGM.¹⁰²

Between April 2014 and March 2015, it was identified that 77 women who accessed University Hospitals Coventry and Warwickshire midwifery services had been affected by FGM. This equates to 1.2% of births, out of a total of 6,218 births during that time period.¹⁰³

In addition, since October 2015, regulated health and social care professionals and teachers in England and Wales have been required to report known cases of FGM in those aged under 18 years. From January 2015 to September 2015, West Midlands Police received 70 such referrals, with 25 of these referrals originating from Coventry.¹⁰⁴

Coventry City Council was the first Council to support a motion to condemn FGM. Since then a number of actions have been taken to gather knowledge and intelligence on the extent of FGM in Coventry and to tackle FGM through addressing the barriers faced by professionals and engaging with communities to change attitudes.

Coventry City Council commissioned Coventry Haven (in partnership with CRASAC and Birmingham and Solihull Women's Aid) to provide a specialist FGM service, which is designed to prevent FGM through: the development of a city wide FGM awareness campaign, designed by community members and young people, which includes information leaflets and electronic resources; providing bespoke training to professionals, young people and communities practising FGM; focusing on asset building within communities to develop their skills to tackle FGM; and empowering frontline professionals, affected girls and young women through developing support groups, community engagement and training.

The service has now been running for one year, and from June 2015 to February 2016 recruited 21 volunteer community champions from ten different countries of origin who are working with communities to raise awareness and change attitudes to FGM. The service has also attended over 50 community groups and provided over 20 training sessions to around 400 professionals and community group members. The service has also provided one to one support to 26 people who have experienced FGM. The service will run until the end of May 2017, with an evaluation planned to take place next year.

The Council's public health team have worked along with the CCG and safeguarding board to update policies and procedures to ensure that consistent messages are cascaded to frontline staff, and to develop and implement FGM risk assessment tools.

In addition, the Council have supported Coventry University in their development of a web app, 'Petals', for young people. Researchers at Coventry University have created the new app, endorsed by the NSPCC, to help protect young girls and women from female genital mutilation (FGM). The app, which works across most mobile devices such as smartphones, tablets and lap tops via an internet browser, is aimed primarily at young girls living in affected communities and at risk from FGM. Coventry City Council have now commissioned Coventry University to produce a new web app, 'Petals for professionals' which includes information on the signs that someone may be at risk of FGM, how to have appropriate conversations, and more information about the mandatory reporting requirements.

Mental health and wellbeing

Good mental wellbeing plays an important role in the promotion of both physical and mental health.

Wellbeing and good mental health are fundamental in helping individuals achieve their potential, whether that is in education, employment or socially. It is also a key part of good physical health. Poor mental health is associated with various experiences that cause problems in people's lives. This includes substance abuse, poorer employment prospects and worsening social disadvantage.

Mental health and many common mental disorders are influenced by a wide range of social, economic and environmental factors. Mental health problems are increasing and they place an enormous strain on individuals, families and even the local community. Because of this, national policy now demands that mental health be treated on the same level as physical health.

See also:

- Mental health and wellbeing assets and needs analysis at <http://www.coventry.gov.uk/downloads/file/17145/>.
- Data appendices for the mental health and wellbeing assets and needs analysis at <http://www.coventry.gov.uk/downloads/file/17144/>.

Adult mental wellbeing

At least one in four British adults will experience some form of mental health problem in any given year. Those who live in more deprived conditions are twice as likely to be affected by mental health. There are many factors that can be caused by or be a consequence of mental health problems such as unemployment, deprived income, substance and alcohol misuse and crime and violence. Addressing mental health needs can result in positive implications elsewhere. The estimated annual costs of tackling mental health in the UK, including spending in health and social care, is now over £20 billion.¹⁰⁵

Approximately 1 in 6 people in Coventry are estimated to be affected by a common mental health condition at any one time.¹⁰⁶ Common mental health disorders include conditions such as depression, anxiety, phobias, obsessive-compulsive disorder (OCD), eating disorders and post-traumatic stress disorder (PTSD). The mental health and wellbeing assets and needs assessment for Coventry and Rugby estimated that there are over 67,000 noted common mental health disorders in the Coventry population aged between 16-74 years.¹⁰⁷ However, it is expected that the total number of people who are affected by a common mental health condition will be lower as there may be an overlap as it may be possible that someone could experience more than one mental health disorder.¹⁰⁸ Included in this figure are 25,000 people with a depressive or anxiety disorder, and a further 500 with a psychotic disorder. 5% of people in Coventry report low life satisfaction on direct questioning. Given that many mental health problems are not formally diagnosed, and that not all people will actively seek or engage with services, these figures are likely to be an underestimation. The King's Fund estimates that 35% of those with depression and 51% of those with anxiety disorders do not seek support from services.¹⁰⁹

The prevalence of common mental health diagnoses in Coventry is higher than in both England and in cities with similar deprivation. For example, 10.4% of 16-74 year olds in Coventry are estimated to suffer from mixed anxiety and depressive disorders, compared with 8.9% nationally.¹¹⁰ The assessment provided a snapshot of activity over a two-month period (October-November 2014) at a single GP surgery which identified that approximately 7-8% of consultations related to mental health, providing an indication of the high level of need across the city.

Mental health disorders can impact on an individual's ability to sustain employment, as demonstrated by the employment rate of people experiencing mental health problems, which for Coventry stands at 23.3%. This is established from responses to the Labour Force Survey which indicates the proportion of respondents who report that they have a mental illness and are in employment as a percentage of all respondents who report that they have a mental illness, in contrast the current employment rate in Coventry stands at 66%, showing the variance in employment rates for those experiencing a common mental health disorder.¹¹¹ This indicator is based on those who have self-identified as having a mental health disorder and so would include people with more severe mental health disorders.

Furthermore, it is also relevant to consider the interaction between mental health and physical health, in particular the mental health needs of people with long-term conditions. Nationally, it is estimated that at least 30% of people with a long-term physical health condition have a co-morbid mental health problem with 12-18% of NHS expenditure on long-term conditions linked to poor mental health and wellbeing. It is estimated that there are approximately 99,000 people (30%) in Coventry with a long-term condition, with 30% of people with a long-term condition affected by co-morbid mental health problems. This co-morbidity is estimated in Coventry to cost at least £6.1m per annum.¹¹²

Severe mental illness

Severe mental illness is generally used to refer to conditions that include psychotic symptoms and includes bipolar disorder, schizophrenia, along with other psychotic conditions.

Psychosis is a serious mental health problem which can cause hallucinations or delusions which mean that people can perceive things differently to others and this can severely disrupt emotions and behaviour.¹¹³ Rather than being a condition on its own, psychosis is a result of other conditions. Across Coventry, there are 30.2 cases of first episodes of psychosis among people aged 16-64 years old; this is compared to 24.2 per 100,000 of the population at a national level.¹¹⁴ It is estimated that approximately 20% of people with psychosis will attempt to commit suicide at some point in their life and 1 in 25 people with psychosis will commit suicide.¹¹⁵ Coventry's Mental Health Needs and Assets Assessment estimates that 516 people aged 18 to 64 live with a psychotic disorder.

The prevalence of borderline personality disorder is estimated to be 0.3% in males and 0.6% in females aged between 18-64 years, if these prevalence rates are applied to Coventry, this equates to 940 adults in 2014 estimated to have this condition.¹¹⁶

The average life expectancy of people with serious mental illness is 20 years shorter than the average and this excess premature mortality is largely attributed to cardiovascular disease and the increased prevalence of lifestyle risks that can contribute to cardiovascular disease (including higher rates of inactivity and higher rates of smoking and obesity).

Dementia

As the numbers of people living to old age increase in Coventry (despite the continued fall in the city's average age) the number of people with dementia will be increasing too. People with dementia typically experience a progressive decline in their memory, reasoning, communication skills and the ability to carry out daily activities. Alongside this, individuals

may also experience behavioural and emotional symptoms. Most people with dementia in Coventry live at home, with support from friends and family members and caring for someone with dementia can increase the risk of depression and physical illness. As a result, dementia causes distress and upheaval for the lives of many family members and carers, so the impact of increases in the numbers of people suffering from dementia has an impact right across the community.

An estimated 3,600 people in Coventry have dementia, although approximately only half of these will have a formal diagnosis, and thus have access to related services.¹¹⁷ There is a current national target for 67% of cases of dementia to be diagnosed.¹¹⁸

The prevalence of dementia in the city is increasing, from 0.45% in 2010/11 to 0.57% in 2014/15, and this is reflective of the increasing proportion of older people.¹¹⁹ When the prevalence in the population aged 65 years and older is considered, this increases to 3.82%, compared to 4.27% nationally. These data reflects the number of people recorded as having dementia by their GP as a proportion of all patients registered at the GP surgery.

In line with global trends, the prevalence of dementia is expected to double by 2030.¹²⁰ National prevalence estimated for males aged 70-74 stands at 3.1% and for females this is 2.4%. This increases to 16.7% for males and 22.2% for females aged 85-89 and for those aged 90 years and older, the increase is even starker at 27.9% for males and 30.7% for females.¹²¹

The estimated annual cost of supporting each person with dementia is £32,250, and this is in addition to the potential difficulties that are met by family and carers.¹²² Coventry's Living Well with Dementia Strategy 2014-17 notes that most people with dementia in Coventry live at home and are supported by friends and family.¹²³

Early diagnosis of dementia would allow timely access to services that can help maintain quality of life. It is known that dementia is under diagnosed in some BME communities, and measures to increase awareness of the condition may encourage prompt diagnosis and the access of appropriate support.¹²⁴

To ensure support remains appropriate, it is relevant to consider the proportion of people diagnosed with dementia who receive a face-to-face review of the needs of their, and potentially, their carer's needs. In Coventry and Rugby, 76.5% of patients living with dementia have had their care reviewed in a face-to-face review in the preceding 12 months.¹²⁵

See also:

- Coventry Living Well with Dementia Strategy at <https://www.coventry.gov.uk/downloads/download/3783/>.
- Health-related quality of life for older people indicator at <http://fingertips.phe.org.uk/search/dementia#gid/1/pat/6/ati/101/page/0/par/E12000005/are/E08000026>.

Children and young people mental wellbeing

The most common mental health issues in childhood and adolescence include emotional disorders, such as anxiety, and conduct disorders, including antisocial or aggressive behaviours, and these particularly affect children with learning disabilities.¹²⁶ This can result in poor social functioning, impaired academic performance, and an increased risk of smoking and drug use. In the UK, 10% of 5 to 16 year olds are estimated to have a mental health disorder and this is based on the prevalence from an ONS survey, mental health of children and young people in Great Britain (2004).¹²⁷ Consequently, this only provides an approximation of prevalence. Child and adolescent admissions for mental health in Coventry are reducing but are still of concern, with 72 admissions per 100,000 children per year.¹²⁸

Given that half of mental illness begins before the age of 14 years,¹²⁹ 130 70% of children and young people who experience a mental health problem have not had appropriate interventions at a sufficiently early age.¹³¹

- Read the children and young people's mental health profile at <http://fingertips.phe.org.uk/profile-group/mental-health/profile/cypmh/data#gid/1938132752/pat/6/ati/102/page/1/par/E12000005/are/E08000026>.

Self-harm and suicide

The incidence of reported self-harm in the UK has risen over the last 20 years, especially among young people.¹³² It is unclear the extent to which self-harm is increasing and to what extent the growth could be attributable to increased recognition and recording.

Self-harm rates are closely linked with deprivation within Coventry, with a four-fold difference in hospital admissions for self-harm between the least and most deprived wards. Suicide rates in Coventry averaged 10 per 100,000 of the population per year over the previous decade. This figure has been falling but local rates are higher than the regional and national rates (9.1 and 8.9 per 100,000, respectively), although not significantly so. Even though the overall numbers are small, the consequences of suicide impact on surviving family and friends, and can greatly damage social networks.

Physical wellbeing

Substance misuse

Illicit drugs are known to have a variety of detrimental effects on physical and mental wellbeing.¹³³ ¹³⁴

The Coventry drugs strategy estimated 2,000 adults in Coventry use opiates and/or crack cocaine on a regular basis.¹³⁵ The prevalence of opiate or crack users amongst 15 to 64 year olds in the city is 9.2 per 1000, lower than cities of a similar deprivation profile, but still higher than the England average of 8.4 per 1000. The number of hospital admissions due to substance misuse in young people aged 15 to 24 years is significantly lower than the country's average (65.8 compared to 88.8 per 100,000 respectively).¹³⁶

Early intervention in substance misuse can prevent loss of employment and income, decrease drug-associated crime, and limit the risk of further physical and mental health conditions as a result of substance misuse, such as blood borne virus infection. Treatment data from 2014 notes the percentage of opiate users who completed treatment and who did not re-present within 6 months and this stands at 6.4% in Coventry, compared to 6.2% in the West Midlands and 7.4% in England.¹³⁷ Nevertheless, it should be considered that these data would not record those individuals who have not re-engaged with services but who may potentially be misusing drugs.

See also:

- Our drugs strategy at <http://www.coventry.gov.uk/downloads/file/16838/>.
- The alcohol and drugs needs assessment at <http://www.coventry.gov.uk/downloads/file/21620/>.

Alcohol

Alcohol is the most widely available drug in the UK and is used sensibly by the majority of the population. It is part of our social fabric and a major contributor to the economic vibrancy of the community.

While many people enjoy alcohol responsibly, it is estimated that approximately nine million adults in England drink alcohol at levels that may pose a risk to their health.¹³⁸ The widespread harms of excessive or chronic alcohol overconsumption range from liver disease to an increase in domestic violence and other crimes. The direct annual costs to the NHS are £3.5 billion, with the indirect societal costs approaching £21 billion.

There are over 13,000 high-risk drinkers in Coventry, defined by the consumption of 50 or more units per week for men and 35 or more units per week for women.¹³⁹ Within the city, alcohol is estimated to be a contributing factor in 38,000 emergency department attendances and 3,100 crimes annually and is cited as an issue in one in five child protection cases.


There were 2,348 alcohol-related hospital admissions in 2014/15 at a rate of 767 per 100,000. This is significantly higher than in the West Midlands and England (697 and 641 per 100,000 respectively), but hospital admission rates have been reducing year-on-year for the last three years faster than the national average. (Figure 12).¹⁴⁰ Within Coventry, alcohol-related hospital admissions vary considerably; for example, admissions are twice as likely in Foleshill compared to Wainbody. Furthermore, Coventry's alcohol strategy indicates that alcohol-related health harms increase with age and that almost 60% of patients admitted to hospital to receive treatment for alcohol-related conditions were aged 55 years or older.

See also:

- Our alcohol strategy at <http://www.coventry.gov.uk/downloads/download/3702/>.
- The alcohol and drugs needs assessment at <http://www.coventry.gov.uk/downloads/file/21620/>.
- Alcohol profile at <http://www.coventry.gov.uk/downloads/file/17105/>.

- Liver disease profile at <http://fingertips.phe.org.uk/search/liver%20disease#page/0/gid/1/pat/6/par/E12000005/ati/102/are/E08000026/iid/40601/age/163/sex/4>.

Figure 12 Alcohol-Related Hospital Admissions



Interventions are available to reduce the levels of harmful drinking. Specialist alcohol treatments for those with alcohol dependence, including detox programmes and group therapy, can reduce drinking levels, with knock-on effects on health, healthcare costs and behaviour.¹⁴¹

The number of people reported to be in treatment at specialist alcohol misuse services in 2014/15 stands at 582, with 36.5% of those receiving a service recorded as having successfully completed treatment according to 2014 data.¹⁴² This is defined as those who left treatment who do not re-present within 6 months and is lower than the rate for the West Midlands (39.6%) and England (38.4%). Similar to reported outcomes for drug treatment services, this would not record those individuals who may have relapsed and not re-engaged with services.

At the time of writing, the UK chief medical officers have proposed that guidelines on recommended levels of alcohol consumption are modified so that both men and women are advised that they are safest not to drink regularly more than 14 units of alcohol a week and, if this amount is consumed, that this should be spread across three days or more.

Coventry’s alcohol strategy 2013-16 notes that around 1 in 5 adults in Coventry (around 52,500 people) drink above recommended safe levels of alcohol (using previous chief medical officer guidelines). The results of Coventry’s household survey also suggests that 29% of respondents drank more than the recommended amount one day a week and this is lower than 2012 where 33% indicated they drank more than the recommended amount one

day a week (based on guidelines current in 2013). Nevertheless, 41% of respondents suggested they did not consume more than the recommended amount on any day in the week.¹⁴³

Smoking

Tobacco is the biggest contributor towards premature and preventable mortality, accounting for approximately 100,000 deaths a year in the UK.¹⁴⁴ It accounts for 1 in 6 deaths in England, and annually costs the NHS £2 billion.¹⁴⁵ The risk of a young person starting smoking is significantly increased if their parents smoke.¹⁴⁶ Furthermore, Coventry's smoke-free strategy highlights that the vast majority of smokers started using tobacco products while still a teenager, with national research indicating that 80% of smokers started smoking before the age of 16.¹⁴⁷ Smoking is also linked with an increased risk of alcohol and substance misuse.

See also:

- Smoke-free strategy 2015-2020 at <http://moderngov.coventry.gov.uk/documents/s23073/Coventry%20Smokefree%20Strategy%20-%20Appendix.pdf>.
- Smoking profile at <http://fingertips.phe.org.uk/search/smoking#gid/1/pat/6/ati/102/page/0/par/E1200005/are/E08000026>.


There are around 50,000 smokers in Coventry. The prevalence of adult smokers stands at 15.6% which has decreased from 18.5% in 2013 and an estimated 5.8% of 15-year-olds self-identify as regular smokers.¹⁴⁸ In addition, 13.5% of 15 year olds state that they currently use, have previously used, or tried e-cigarettes. Smoking prevalence figures are lower than that reported for England (18%) and broadly lower than in cities of a similar level of deprivation. Nevertheless, these data do not identify how many cigarettes are smoked and so identify both heavy smokers and those who are occasional smokers and are also based on self-reported use of cigarettes.

Nationally, there is an increased prevalence of smoking in areas of greater deprivation. Although accurate data are not available, there is estimated to be a wide range of teenage smoking rates within Coventry, from 3% in Foleshill to 12% in St Michael's.¹⁴⁹

Furthermore, there is also an economic impact of smoking as, on average, smokers take eight days more sick leave a year compared to non-smokers.¹⁵⁰

Smoking-related hospital admission rates in Coventry in 2014/15 were 16 per 1,000 and are slightly lower than the figures for the West Midlands as a whole (16.7 per 1,000). However, this rate has increased significantly from 15.3 per 1,000 in 2010/11.¹⁵¹ Encouragingly, smoking-related deaths from heart disease and stroke have been reducing in Coventry (Figure 13), in line with national figures, although lung cancer deaths are higher compared to England (70.7 compared to 59.5 deaths per 100,000 of the population respectively).

Figure 13 Deaths from stroke attributable to smoking



Stop-smoking interventions can help reduce smoking-related morbidity and mortality.¹⁵² In Coventry, the 4-week quit rates are higher than those seen nationally, with 5,055 self-declared successful four-week quits per 100,000 smokers aged over 16 years compared to 2,829 per 100,000 smokers nationally, although it will take some time before this translates to an improvement in longer-term outcomes.¹⁵³

Physical activity

Active lifestyle

People with a physically active lifestyle, defined as doing more than 150 minutes of moderate physical activity per week, have a 20-30% lower risk of cardiovascular disease compared to those who are not active.¹⁵⁴ Research suggests that levels of physical inactivity are greater in more socio-economically deprived areas, in men and in older people (over 65 years).¹⁵⁵


Obesity and excess weight

Excess weight (defined as weight that is in excess of the ideal body weight) and obesity are associated with a myriad of health problems. These include heart disease, stroke, high blood pressure, diabetes and arthritis.¹⁵⁶ For instance, 90% of adults with type 2 diabetes are estimated to be overweight or obese.¹⁵⁷ The consequences of obesity and excess weight cost the NHS £6 billion annually.¹⁵⁸ Data from 2012-2014 indicate that in Coventry, 62.4% of adults in the city have excess weight and this is lower than the national average (64.6%), but the prevalence of excess weight and obesity is known to be rising overall. There is a clear deprivation-related inequality within the city, with proportions of obesity ranging from 17% in Wainbody to 30% in Longford.¹⁵⁹ Certain ethnic groups also display increased proportions of obesity, particularly those of South Asian origin.¹⁶⁰

Being overweight or obese in early life increases the risk of adult obesity, along with a higher risk of premature mortality in adulthood.¹⁶¹ Of children in reception, 22.4% have excess weight in Coventry, higher than the national level of 21.9%. By year 6 of school, these proportions have increased, with 35.4% of children having excess weight (compared to 33.2% nationally, Figure 14). As with adults, there is a significant inequality in childhood

excess weight across the city, with some wards having levels 50% higher than others. The local proportions of excess weight in children have remained stable over the previous five years. Early interventions are available to tackle childhood obesity and there is the opportunity to encourage participation.¹⁶² Reducing excess weight and obesity will not only improve health outcomes, but also quality of life.

Figure 14 Proportion of 10-11 year olds with excess weight



- Find out more on about childhood obesity at http://www.noo.org.uk/NOO_about_obesity/child_obesity.

Predictors of lifestyle risk

It is estimated that two thirds of the Coventry population (66%) have two or more lifestyle risks, these are defined as displaying one or more of the following behaviours: *smoking at least one cigarette a day; being physically inactive; excessive consumption of alcohol; or consuming fewer than five portions of fruit or vegetables a day.*¹⁶³

Comparing data from 2012 to 2007 indicated an improvement as 77% of the population were estimated to have two or more lifestyle risks in 2007.¹⁶⁴ However, these improvements were not distributed equally, with men more likely to display several unhealthy behaviours compared to women. Furthermore, improvements in risk factors were not seen in people who are economically inactive and those who identify with a white ethnic background were also more likely to display higher levels of unhealthy behaviours.

Long-term conditions

Overview

At a national level, it is estimated that approximately 15 million people have a long-term condition.¹⁶⁵ Research indicates the high-level resource implications of providing care to people with long-term conditions, with estimates made that approximately 70% of health

spend is accounted for by 30% of the population with 50% of all GP appointments, 64% of appointments as an outpatient and 70% of bed days attributed to long-term conditions.

Also, relevant to the analysis on long-term conditions is the fact that people will often have two or more long-term conditions simultaneously. While the number of people with one long term condition is projected to be relatively stable at a national level over the next ten years, the number of people with multiple conditions is projected to rise to 2.9 million in 2018, from 1.9 million in 2008.¹⁶⁶

Premature mortality

Premature mortality is defined as deaths in the population aged under 75 years.¹⁶⁷ In terms of all premature deaths, Coventry is ranked as the 114th local authority (out of 150) with 398 deaths per 100,000 of the population in 2012-2014. Comparing the rate of premature deaths in Coventry with local authorities that have a similar level of deprivation, Coventry has a better performance and is ranked 5th out of 15 local authorities.¹⁶⁸ Nevertheless, as noted below, there are areas where Coventry’s performance (deaths per 100,000 population) could be improved compared to data at a national level and such data could support the identification of future priorities.

National comparisons¹⁶⁹

The graphics below in Figure 15 and Figure 16 set out some national comparators.

Figure 15 Number of premature deaths by cause compared to all local authorities in England





Figure 16 Number of premature deaths by cause compared to local authorities with a similar level of socioeconomic deprivation



Cancer

Cancer can affect a diverse range of tissues and organs, and thus is a heterogeneous group of conditions. The overall incidence of cancer is increasing. The NHS spends almost £6 billion on the diagnosis and treatment of cancer annually, and the cost is expected to rise.¹⁷⁰

In Coventry, there are approximately 1,000 cancer deaths per year. Mortality is not the inevitable end-point of cancer and, whilst survival patterns depend on the location and type of cancer, overall survival from most forms of cancer are improving nationally.¹⁷¹ Early diagnosis and treatment improves the chances of survival from any cancer and in Coventry, 43.6% of cancers are diagnosed at stages 1 or 2, compared to 45.7% for England and 44.3% for the West Midlands. This is defined as new cases of cancer diagnosed at stage 1 or 2 as a proportion of new cases of cancer diagnosed.¹⁷² Nevertheless, there are concerns surrounding the robustness of these data as the staging data of cancer is sometimes not recorded and where this is the case, a lower proportion of cases diagnosed at stage 1 or 2 will be suggested.

Preventable cancer mortality rates in the under-75s (per 100,000 per year) is decreasing in Coventry, from 103.9 in 2010-12 to 94.6 in 2012-14, although rates are significantly higher than in England overall (83 per 100,000 per year). There is also wide variation in deaths from cancer in those aged under 75 years, per 100,000 of the population from 148.2 in St Michael's, to 79.4 in Earlsdon.¹⁷³

Screening rates for breast cancer and cervical cancer are significantly lower than the regional and national figures, with only 71.7% of women attending screening appointments (compared with 75.4% nationally).

Specific cancers vary in their incidence, but the most common cause of cancer mortality, both locally and nationally, is lung cancer. Smoking is the major risk factor for developing lung cancer, and hence a vast proportion of lung cancer deaths is deemed preventable (89%).¹⁷⁴ The premature mortality rate from lung cancer is 71 per 100,000 of the population in Coventry, which is significantly higher than both the West Midlands and England (which have mortality rates of 59 and 60 per 100,000 of the population per year, respectively). The incidence of lung cancer is variable within Coventry; for example, there is more than twice the incidence in Longford and Upper Stoke compared to Wainbody and Earlsdon. Many factors have been associated with the development of lung cancer and other cancers, such as age, smoking, alcohol, obesity and poor diet, and the variations in lung cancer rates seen both within Coventry, and between Coventry and the rest of England, may in part be due to differences in the prevalence of these risk factors.

See also:

- Local data on cancers detected at an early stage at <http://www.coventry.gov.uk/downloads/file/17115/>.
- Cancer information tools at http://www.ncin.org.uk/cancer_information_tools/.

Cardiovascular disease

Cardiovascular disease (CVD) is a general term that encompasses a disease of the heart or blood vessels.¹⁷⁵ It is the cause of more than a quarter of all deaths in the UK, with annual costs to the NHS and the economy estimated at over £15 billion.¹⁷⁶ Many modifiable risk factors exist for this condition, including hypertension, high cholesterol, obesity and diabetes.¹⁷⁷

In Coventry, the mortality rate from cardiovascular disease in the under-75s is 89 per 100,000 per year according to 2012-14 data, although cardiovascular mortality has generally been decreasing over the previous decade, both locally and nationally. Across Coventry, there is also a difference between the mortality rates for males and females with a rate of 125.3 deaths per 100,000 within the male population and 53.8 per 100,000 within the female population.¹⁷⁸

In addition, within the UK, CVD mortality is 50% higher in the most deprived communities compared to the least deprived.¹⁷⁹ This inequality is apparent within Coventry. For example, there are more than twice the number of emergency admissions for heart attacks in Foleshill compared to Earlsdon.¹⁸⁰ When looking at levels of deaths from coronary heart disease in those aged under 75 across the city, it can be seen that St. Michael's ward has the highest rate at 205 deaths per 100,000 of the population, with Earlsdon having the lowest rate at 58 deaths.

Many cardiovascular deaths can be prevented or delayed by simple lifestyle interventions. The preventable mortality rate in under-75s from CVD in the city is 58.6 per 100,000 of the population per year – significantly worse than the national rate of 49.2 per 100,000 of the

population per year. Again, there is a difference between preventable mortality rates in Coventry between males and females, with a rate of 87.8 per 100,000 of the population for males and 30.7 for females.¹⁸¹

- Find out more on the cardiovascular disease profile for Coventry and Rugby at http://fingertips.phe.org.uk/profile/cardiovascular/data#gid/8000061/pat/110/ati/19/page/0/par/ONS_1.02/are/E38000038.


Chronic obstructive pulmonary disease

Chronic obstructive pulmonary disease (COPD) occurs secondary to long-term smoking, predominantly affects people over the age of 40, and is characterised by shortness of breath, a persistent cough and frequent chest infections and includes conditions such as chronic bronchitis, emphysema and chronic obstructive airways disease.¹⁸² COPD is associated with a reduced quality of life, frequent hospital admissions and significant mortality.¹⁸³

Data from the Coventry and Rugby Clinical Commissioning Group suggest that 1.6% of GP-registered patients have documented COPD, compared to the national proportion of 1.8%. Emergency admissions for COPD are four times more common within residents of Binley and Willenhall compared to Earlsdon, and this difference may well be due to the underlying variations in smoking rates.¹⁸⁴ Improvements in the medical management of COPD are estimated to reduce admissions by 5%, but smoking interventions and the prevention of respiratory infections (for example via influenza vaccinations) will have a greater benefit on reducing the prevalence and admission rates of COPD.¹⁸⁵

There has been little change in the incidence of COPD-related mortality locally or nationally over the previous five years. COPD mortality rates in Coventry are significantly higher than in England overall (60 compared to 52 per 100,000 per year – see Figure 17).

Figure 17 Deaths from chronic obstructive pulmonary disease (per 100,000 of the population)



Looking at deaths from *all respiratory diseases* at all ages across the city, a wide variation can be seen from 158.2 deaths per 100,000 of the population in Foleshill compared to 62.6 in Wainbody.

Diabetes


Diabetes affects almost 3.5 million people in the UK, with a further half a million people likely to have the condition but be unaware of it.¹⁸⁶ Type 2 diabetes (adult-onset) is the most common form. Diabetes can lead to a multitude of other medical problems, including heart disease, renal failure, amputations and blindness, and this condition is associated with an annual NHS spend of £9.8 billion.¹⁸⁷ The proportion of those aged 17 years and older registered with a GP who have been diagnosed with diabetes has increased from 5.6% in 2010/11 to 6.5% in 2014/15, and these figures are similar to the national average (6.4%).¹⁸⁸ Type 2 diabetes is up to six times more common in people of South-Asian origin and three times more common in people of Afro-Caribbean origin.^{189,190}

Demand for care

Adult social care

Needs and demands for adult social care (ASC) are constantly evolving, due to influencing factors such as (but not limited to) an ageing population, changes in approaches to care and expectations of services. The council spend on ASC is relatively significant, accounting for approximately 30% of the total council budget in 2014/15 was spent on ASC (Figure 18), equating to a net spend of £74m.¹⁹¹ Therefore it is important to understand the demand for care and attempt to predict this going forward, in an attempt to best allocate decreasing Government funding and increase efficiency of service.

Figure 18 Allocation of net spend for adult social care in 2014-15




Disabilities

Adults who consider that their day-to-day activities limited due to a health problem or disability which has lasted, or is expected to last, at least 12 months, are far less likely to report their general health as good (35% compared to 89% for those who don't).¹⁹²

According to the 2011 census, 56,274 people of all ages declared that their everyday activities are limited a little or a lot by a long-term health problem or disability. Within adult social care, the top 2 services used by type of disability or impairment in 2013-14 were those for mental health (59%) and learning disabilities (32%).¹⁹³ Over the last 3 years, Coventry has overtook both the West Midlands and England in the proportion of adults with a learning disability who live in a stable and appropriate accommodation (Figure 19).¹⁹⁴

Figure 19 Proportion of adults with a learning disability who live in stable and appropriate accommodation-Coventry

1.06i – Adults with a learning disability who live in stable and appropriate accommodation (Persons) – Coventry



Falls and frailties

Falls pose a particular issue for older people, with over 65 year olds at most risk. Falls and related injuries are a major cause of disability and a leading cause of mortality in people aged 75 and over in the UK.¹⁹⁵ In terms of the impact this has, it is estimated that around 30% of people aged 65+ and living at home, and about 50% of people aged 80+ and living at home or in residential care, will experience at least one fall a year. It has been noted that falls prevention services are amongst the strongest sets of evidence for their effectiveness. If help is offered after a first accident, the likelihood of that person having a second fall is reduced by 75%, thus saving money for NHS and social care, and achieving better outcomes for people.¹⁹⁶ Coventry has increased preventative approaches and also increased the use of technology to enable people to live independently in their own home. Part of this is an enhance Telecare offer across the city, providing support in the community and enabling people to maximise their independence.¹⁹⁷

Infectious diseases

Immunisations

The primary aim of immunisation is to protect the individual who receives the vaccine and this makes them less likely to be a source of infection to others. In the UK diseases which once caused significant morbidity and mortality are now only seen in relatively small numbers as a result of effective immunisation campaigns.

Widespread immunisation decreases the risk of communicable disease in the individual and to the population, and thus prevents subsequent morbidity.


Childhood immunisations

It is important that new parents remain aware of the need to protect their children against diseases such as whooping cough, measles, rubella and diphtheria which can cause significant morbidity. Advances in medical research and vaccine technology result in more potentially life threatening disease being protected against, for example the introduction of a vaccine against HPV for teenage girls in 2008.

All children are eligible for the national childhood immunisation schedule, with additional vaccines given to specific high-risk groups. For example, measles, mumps and rubella used to be common childhood diseases. Following the introduction of the MMR numbers of cases were low. However in recent years coverage of the MMR reduced, again because of ill-founded concerns about safety, and there continues to be outbreaks of measles across the country.

Fortunately, Coventry continues to achieve the >90% target for all childhood vaccines.¹⁹⁸ For example, the completion rate for the measles, mumps and rubella (MMR) vaccination schedule, a good proxy indicator for the whole vaccination programme, is 94.9%-significantly better than the 88.6% national average (Figure 20).

Figure 20 Measles, mumps and rubella vaccination coverage for two doses (at 5 years old)



Influenza

Influenza vaccinations have the potential to reduce morbidity and mortality in those infected with the virus, as well as to prevent the spread to those who are not immunised. Currently, the influenza vaccine is available to the over-65s, to children aged 2 to 7, to pregnant women and to other high-risk groups. In Coventry, around 37,500 people are eligible for the 'flu vaccine. In the over-65s, 72.4% received the vaccine in 2014/15. This has risen from 70.8% in 2011/12 and is currently similar to the national vaccination rates. Fewer eligible people under the age of 65 are successfully vaccinated, with only 54.8% receiving the vaccine in 2014/15. This is higher than the national average (50.3%), but more needs to be done to attract the large proportion of eligible under-65s who did not attend for immunisation in previous years.

Tuberculosis


The incidence of tuberculosis (TB) has been relatively stable across the UK over the previous few years.¹⁹⁹ However, the incidence of TB in the UK is much higher than in most Western European countries despite widespread efforts to improve prevention, treatment and control. In Coventry, around 120 new cases of TB are diagnosed every year. This equates to an incidence of 32.5 per 100,000 – significantly higher than the incidence in the West Midlands and England (16.7 and 13.5 per 100,000 respectively). Indeed, locally the incidence of TB is rising, having increased from 30 per 100,000 in 2008-10 (Figure 21). Geographically, Foleshill and St Michaels electoral wards had higher rates of tuberculosis when compared with the average for the City.²⁰⁰

TB infection is associated with certain ethnic groups (e.g. South Asian and African communities), especially in those born abroad.²⁰¹ The Migrant Health Needs Assessment indicates that 73% of diagnosed TB cases were in individuals who were non-UK born, this is similar to the national level where 75% of all notifications for tuberculosis are in individuals from countries with a higher prevalence of TB.

Risk factors related to TB include poor nutrition, alcohol and substance misuse, and poor housing conditions. Vaccinations of high-risk groups can reduce the infection rate, and the disease is less likely to spread if those that are infected are diagnosed promptly and receive appropriate treatment.²⁰² In Coventry, the treatment completion rate for people diagnosed with TB is 85.4%.²⁰³ This is better than the national average of 84.8%, but still means that a proportion of those diagnosed do not complete treatment and are thus still potentially able to transmit the disease to others.

- Find out more on the infectious diseases profile at <http://www.coventry.gov.uk/downloads/file/17118/>.

Figure 21 Incidence of tuberculosis (three-year average number of reported new cases per 100,000 population)



Sexually transmitted infections

HIV

Human immunodeficiency virus (HIV) infection is an important public health issue as it is currently incurable and is associated with significant morbidity. Coventry has the highest prevalence of HIV infection in the West Midlands, and there are 640 people with a known diagnosis of HIV in the city. The rate of new diagnoses of HIV in adults in Coventry is 23.3 per 100,000 per year – significantly higher than the West Midlands and England (which have rates of 9 and 12.3 per 100,000 year).²⁰⁴ A major concern is the late diagnosis of the disease in many cases, as a good life expectancy can be achieved if antiretroviral therapy is instituted early.²⁰⁵ The proportion of people with HIV in Coventry presenting late in the disease process (as defined by a low concentration of the specific white blood cells that are attacked by the virus) has reduced from 61% in 2009-11 to 54.1% in 2012-14. However, this is significantly worse than in England as a whole, where 42% of HIV diagnoses present late.

The prevalence of HIV is 30 times higher in black-African communities than in the general UK population, and this may be contributed to by infections acquired abroad coupled with HIV-related stigma.²⁰⁶ HIV is also associated with deprivation, with infection being three times more common in the most deprived areas. The early diagnosis and management of HIV significantly improves both quality of life and survival, and reduces the risk of disease transmission. More, therefore, needs to be done to improve the early detection of HIV infection.

- Find out more on the HIV profile at <http://fingertips.phe.org.uk/search/hiv#qid/1/pat/6/ati/102/page/0/par/E12000005/are/E08000026>.

- 1 Coventry City Council, Coventry's population estimate and ONS, Population estimates for UK, England and Wales, Scotland and Northern Ireland 2015
- 2 Coventry City Council, Detailed census 2011 statistics at city level
- 3 Coventry City Council, Coventry's population estimate 2015
<http://www.coventry.gov.uk/downloads/download/3597/>
- 4 ONS, Population by country of birth and nationality 2014 <http://www.ons.gov.uk/ons/publications/re-reference-tables.html?edition=tcm%3A77-376534>
- 5 Coventry City Council, Migrant health in Coventry health needs assessment
<http://www.coventry.gov.uk/downloads/download/3774/>
- 6 ONS. 2012-based subnational population projections for England. <http://www.ons.gov.uk/ons/rel/snpp/sub-national-population-projections/2012-based-projections/stb-2012-based-snpp.html>
- 7 ONS, Frequently asked questions about population projections <http://www.ons.gov.uk/ons/guide-method/method-quality/specific/population-and-migration/population-projections/faq---population-projections/index.html#9>
- 8 Projecting Older People Population Information System (Poppi), Population figures, Percentage of total population
<http://www.poppi.org.uk/index.php?pageNo=315&PHPSESSID=m75aa5cb4upe222a1npe8adeo4&sc=1&loc=8391&np=1>
- 9 Coventry City Council, Population estimates and projections age group analysis for JSNA 2015
- 10 Poppi, Population by gender/age <http://www.poppi.org.uk/index.php?pageNo=316&areaID=8640&loc=8640>
- 11 ONS, Birth summary tables, England and Wales, 2014 <http://www.ons.gov.uk/ons/publications/re-reference-tables.html?edition=tcm%3A77-370345> and Coventry City Council, Children's demographics: A general profile of Coventry by ward
- 12 King's Fund, Making the best use of the Better Care Fund: Spending to Save?
http://www.kingsfund.org.uk/sites/files/kf/field/field_publication_file/making-best-use-of-the-better-care-fund-kingsfund-jan14.pdf
- 13 Poppi, Living Status, Living Alone
- 14 Fair Society, Healthy Lives (The Marmot Review) www.instituteofhealthequity.org/projects/fair-society-healthy-lives-the-marmot-review
- 15 Public Health England, Adult social care outcomes framework,
<http://fingertips.phe.org.uk/profile/adultsocialcare/data#page/0/gid/1000101/pat/6/par/E12000004/ati/102/are/E06000015>
- 16 Poppi, Living Status, Living in a care home
- 17 Public Health England, Adult social care outcomes framework
- 18 Poppi, Support arrangements, Provision of unpaid care
- 19 Coventry City Council, Carers' strategy

- 20 ONS Population Estimates for UK, England and Wales, Scotland and Northern Ireland 23 June 2016
<https://www.ons.gov.uk/peoplepopulationandcommunity/populationandmigration/populationestimates/datasets/populationestimatesforukenglandandwalescotlandandnorthernireland>
- 21 ONS, Subnational Population Projections, 2012-based projections
- 22 Coventry City Council, Children's demographics: A general profile of Coventry by ward
- 23 Coventry City Council, Strategic housing market assessment
- 24 Coventry City Council, Detailed census 2011 statistics at city level
- 25 World Health Organisation, International workshop on housing, health and climate change: meeting report
http://www.who.int/hia/house_report.pdf?ua=1
- 26 Coventry City Council, Detailed census 2011 statistics at city level
- 27 Coventry City Council, 2011 census overcrowded housing (% of households)
- 28 Coventry City Council, Council plan 2015/16 end of year performance report, globally connected: supply, choice and quality of housing <http://www.coventry.gov.uk/info/10/performance/2780/>
- 29 GL Hearn, Strategic Housing Market Assessment
http://www.coventry.gov.uk/info/111/planning_policy/2095/independent_housing_numbers_study
- 30 Coventry City Council, Council plan 2015/16 end of year performance report
http://www.coventry.gov.uk/info/10/performance/2780/council_plan_201516_end_of_year_performance_report/15
- 31 Public Health England, public health outcomes framework www.phoutcomes.info
- 32 Coventry City Council, Supporting document for the Coventry housing and homelessness strategy 2013-18, The Coventry context and the Coventry homelessness review
http://www.coventry.gov.uk/downloads/file/13501/the_coventry_context_and_homelessness_review
- 33 Shelter, Shelter factsheet: homelessness.
https://england.shelter.org.uk/_data/assets/pdf_file/0004/66379/Homelessness_factsheet.pdf
- 34 Shelton KH., Taylor PJ., Bonner A., van den Bree M., Risk factors for homelessness: evidence from a population-based study. Psychiatr Serv 2009; 60 (4): 465-72
- 35 Crisis, Homelessness: a silent killer <http://www.crisis.org.uk/data/files/publications/Homelessness%20-%20a%20silent%20killer.pdf>
- 36 Alexander, A., White, F., Yousaf, H., Knott, G. and Chauhan, V. Provision of healthcare for homeless people in Coventry, Warwick Medical School
- 37 Department of Energy and Climate Change, The fuel poverty statistics methodology and user manual, https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/429774/fuel_poverty_statistics_methodology_and_user_manual.pdf
- 38 Public Health England, public health outcomes framework www.phoutcomes.info
- 39 Public Health England, Local health <http://www.localhealth.org.uk/>
- 40 New Policy Institute, Cold and poor: an analysis of the link between fuel poverty and low income
<http://www.poverty.org.uk/reports/fuel%20poverty.pdf> 56
- 41 UK Health Forum, Fuel poverty: how to improve health and wellbeing through action on affordable housing., http://www.fph.org.uk/uploads/UKHF-HP_fuel%20poverty_report.pdf

- 42 Public Health England, public health outcomes framework www.phoutcomes.info
- 43 ONS, Excess winter mortality in England and Wales 2014/15 (provisional) and 2013/14 (final), http://www.ons.gov.uk/ons/dcp171778_425192.pdf
- 44 Public Health England, public health outcomes framework, school readiness <http://www.phoutcomes.info/public-health-outcomes-framework#page/3/gid/1000041/pat/6/par/E12000005/ati/102/are/E08000026/iid/90631/age/34/sex/4>
- 45 Public Health England, public health outcomes framework, school readiness free school meals <http://www.phoutcomes.info/public-health-outcomes-framework#page/3/gid/1000041/pat/6/par/E12000005/ati/102/are/E08000026/iid/90632/age/34/sex/4>
- 46 Coventry City Council, School improvement networks and system leadership in Coventry: evaluating progress, areas for development and possible next, steps September 2014 <http://www.coventry.gov.uk/downloads/download/3360/>
- 47 Coventry City Council, Coventry Education Improvement Strategy 2013-2015 <http://democraticservices.coventry.gov.uk/documents/s10019/Coventrys%20Education%20Improvement%20Strategy%202013%202015%20-%20Appendix.pdf>
- 48 Nomis, Labour market profile- Coventry, <https://www.nomisweb.co.uk/reports/lmp/la/1946157187/report.aspx?town=coventry>
- 49 Coventry City Council, Council Plan 2015/16 end of year performance report <http://www.coventry.gov.uk/info/10/performance/2780/>
- 50 Nomis, Labour market profile- Coventry and Coventry City Council, Coventry's key economic information, Coventry economic review 2015, http://www.coventry.gov.uk/downloads/file/19287/coventry_economic_review_2015
- 51 Gov.uk, Carers and disability benefits, employment and support allowance, <https://www.gov.uk/employment-support-allowance/what-youll-get>
- 52 Nomis, DWP benefits, benefit claimants, employment and support allowance, <https://www.nomisweb.co.uk/query/construct/summary.asp?mode=construct&version=0&dataset=134>
- 53 Banks, J., Blundell, R. and Emmerson, C., Disability Benefit Receipt and Reform: Reconciling Trends in the United Kingdom Journal of Economic Perspectives, Volume 29, (2), pp. 173–190
- 54 Nomis, DWP benefits, benefit claimants, employment and support allowance
- 55 Department for Work and Pensions, Working age client group data, <http://tabulation-tool.dwp.gov.uk/NESS/WACG/wacg.htm> and Local government inform plus, Adults (16-64) population
- 56 Coventry City Council, The Impact of the July 2015 budget on Coventry infographic
- 57 Coventry City Council, The Impact of the July 2015 budget on Coventry infographic
- 58 Coventry City Council, Coventry economic review 2015 http://www.coventry.gov.uk/downloads/file/19287/coventry_economic_review_2015
- 59 Coventry City Council, Council Plan 2015/16 end of year performance report <http://www.coventry.gov.uk/info/10/performance/2780/>
- 60 Coventry City Council, Insight, Coventry headline statistics: December 2015.
- 61 Coventry City Council, Jobs and growth strategy.

- 62 Coventry City Council, Coventry headline statistics <http://www.coventry.gov.uk/factsaboutcoventry/>
- 63 Public Health England, public health outcomes framework www.phoutcomes.info
- 64 Coventry City Council, Joint health and wellbeing strategy for Coventry 2012- review <http://democraticservices.coventry.gov.uk/documents/s24265/Health%20and%20Well%20Being%20Strategy%20Progress%20Report.pdf>
- 65 Public Health England, public health outcomes framework www.phoutcomes.info
- 66 Coventry City Council, Council plan 2015/16 end of year performance report http://www.coventry.gov.uk/info/10/performance/2780/council_plan_201516_end_of_year_performance_report/15
- 67 Coventry City Council, Joint health and wellbeing strategy for Coventry 2012- review
- 68 UCL Institute of Health Equity, Fair Society, Healthy Lives: The Marmot Review, <http://www.instituteofhealthequity.org/projects/fair-society-healthy-lives-the-marmot-review>
- 69 World Health Organisation, Social Determinants of Health http://www.who.int/social_determinants/en/
- 70 Coventry City Council, The English indices of deprivation 2015, Summary for Coventry <http://www.coventry.gov.uk/downloads/download/135/>
- 71 Public Health England, public health outcomes framework www.phoutcomes.info
- 72 ONS, Sub-national health expectancies, disability-free life expectancy by upper tier local authority: England 2009-11 <http://www.ons.gov.uk/ons/publications/re-reference-tables.html?edition=tcm%3A77-366954>
- 73 Council Plan end of year performance report http://www.coventry.gov.uk/info/10/performance/2780/council_plan_201516_end_of_year_performance_report/14
- 74 Public Health England, The segment tool 2015- segmenting life expectancy gaps by cause of death, http://www.lho.org.uk/LHO_Topics/Analytic_Tools/Segment/TheSegmentTool.aspx
- 75 Gov.uk, Children looked after at 31 March, by local authority, <https://www.gov.uk/government/statistics/children-looked-after-in-england-including-adoption-2014-to-2015> (comparator data) and Council Plan 2015/16 end of year performance report (local data; to be published July 2016)
- 76 Gov.uk, Outcomes for children looked after by local authorities, <https://www.gov.uk/government/statistics/outcomes-for-children-looked-after-by-las-in-england> (comparator data) and Council Plan 2015/16 end of year performance report (local data; to be published July 2016)
- 77 Gov.uk Outcomes for children looked after by local authorities (comparator data) and Council Plan 2015/16 end of year performance report (local data; to be published July 2016)
- 78 Gov.uk, Children looked after in England, including adoption.
- 79 Research in practice, fostering and adoption, placement stability and permanence, <http://fosteringandadoption.rip.org.uk/topics/placement/>
- 80 Coventry City Council, Children's Services Performance 2014-15 and 2015-16 (draft report to Scrutiny Board 2, based on February 2016 data, 14 April 2016) <http://democraticservices.coventry.gov.uk/documents/s28279/Appendix%201%20Childrens%20Services%20Performance%202014-15%20and%202015-16.pdf>

- 81 Gov.uk, Children looked after in England including adoption: 2014 to 2015, data by local authority <https://www.gov.uk/government/statistics/children-looked-after-in-england-including-adoption-2014-to-2015> (comparator data) and Children's Services Performance 2014-15 and 2015-16 (draft report to Scrutiny Board 2, based on February 2016 data, 14 April 2016) <http://democraticservices.coventry.gov.uk/documents/s28279/Appendix%201%20Childrens%20Services%20Performance%202014-15%20and%202015-16.pdf> (local data)
- 82 Public Health England, Free school meals: uptake amongst all pupils <http://fingertips.phe.org.uk/search/Free%20School%20Meals#page/0/gid/1/pat/6/par/E12000005/ati/102/are/E08000026/iid/90922/age/217/sex/4>
- 83 Gov.uk, National Statistics, GCSE and equivalent attainment by pupil characteristics: 2014 <https://www.gov.uk/government/statistics/gcse-and-equivalent-attainment-by-pupil-characteristics-2014> (comparator data) and Council Plan 2015/16 end of year performance report (local data; to be published July 2016)
- 84 Gov.uk Statistical First Release Special educational needs in England: January 2016 https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/539158/SFR29_2016_Main_Text.pdf
- 85 Local Area SEND Report, July 2016 http://lginform.local.gov.uk/reports/view/send-research/local-area-send-report?mod-area=E08000026&mod-group=AllLainCountry_England&modify-report=Apply
- 86 Gov.uk, 2013 Children in low-income families local measure, https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/464247/2013_Children_in_Low-Income_Families_Local_Measure.pdf
- 87 Coventry City Council, Council and democracy, performance, child poverty, http://www.coventry.gov.uk/info/10/performance/1732/infographics_and_visualisations/5
- 88 Department of Health, Teenage pregnancy strategy: beyond 2010, <http://webarchive.nationalarchives.gov.uk/20130401151715/https://www.education.gov.uk/publications/eOrderingDownload/00224-2010DOM-EN.pdf>
- 89 Mayhew, E. and Bradshaw, J., (2005), Mothers, babies and the risks of poverty. Poverty No.121 p13-16
- 90 Teenage Pregnancy Atlases, Forecasts and other Resources <http://www.apho.org.uk/resource/view.aspx?RID=116350>
- 91 Public Health England, Children and young people's health benchmarking tool, and Coventry City Council, Director of Public Health's 2015 annual report, http://www.coventry.gov.uk/downloads/file/18759/director_of_public_health_s_2015_annual_report_full_report
- 92 Public Health England, public health outcomes framework www.phoutcomes.info
- 93 Gov.uk, NEET data by local authority, <https://www.gov.uk/government/publications/neet-data-by-local-authority-2012-16-to-18-year-olds-not-in-education-employment-or-training>
- 94 Public Health England, Reducing the number of young people not in employment, education or training (NEET) https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/356062/Review3_NEETs_health_inequalities.pdf
- 95 Bloomer E., Allen J., Donkin A., Findlay G., Gamsu M., The impact of the economic downturn and policy and Public Health England, Reducing the number of young people not in employment, education or training (NEET)
- 96 Prospects press release, Young people in Coventry & Warwickshire to benefit from new careers support, 7 April 2016 <http://www.prospects.co.uk/News/LatestNews/TabId/89/ArtMID/684/ArticleID/2029/Young-people-in-Coventry--Warwickshire-to-benefit-from-new-careers-support.aspx>

97 Briefing Note to Councillor Lapsa, 21 July 2016 Further information on work undertaken and planned to tackle FGM and sexual exploitation, as requested at the Council Meeting on 12 July 2016

98 Coventry City Council, Local safeguarding children board, tackling child sexual exploitation across the West Midlands metropolitan region, assessment: October-December 2015, http://www.coventry.gov.uk/info/206/coventry_local_safeguarding_children_board/2620/lscb_child_sexual_exploitation_cse

99 Briefing Note to Councillor Lapsa, 21 July 2016 Further information on work undertaken and planned to tackle FGM and sexual exploitation, as requested at the Council Meeting on 12 July 2016

100 Briefing Note to Councillor Lapsa, 21 July 2016 Further information on work undertaken and planned to tackle FGM and sexual exploitation, as requested at the Council Meeting on 12 July 2016

101 Home Office, guidance, female genital mutilation: resource pack, <https://www.gov.uk/government/publications/female-genital-mutilation-resource-pack/female-genital-mutilation-resource-pack>

102 Coventry City Council, Report to Scrutiny Coordination Committee, September 2015, female genital mutilation, http://www.coventry.gov.uk/downloads/file/17910/fgm_scruco_report

103 Coventry City Council, Report to Scrutiny Coordination Committee, female genital mutilation

104 Coventry City Council, Report to Scrutiny Coordination Committee, female genital mutilation

105 King's Fund, Paying the price. The cost of mental health in England to 2026, http://www.kingsfund.org.uk/sites/files/kf/Paying-the-Price-the-cost-of-mental-health-care-England-2026-McCrone-Dhanasiri-Patel-Knapp-Lawton-Smith-Kings-Fund-May-2008_0.pdf

106 Public Health England, Common mental health disorders, <http://fingertips.phe.org.uk/profile-group/mental-health/profile/common-mental-disorders/data>

107 Coventry City Council, Mental Health and Wellbeing Assets and Needs Assessment for Coventry and Rugby http://www.coventry.gov.uk/download/downloads/id/17145/mental_health_needs_assessment.pdf

108 Coventry City Council, Mental Health and Wellbeing Assets and Needs Assessment for Coventry and Rugby http://www.coventry.gov.uk/download/downloads/id/17145/mental_health_needs_assessment.pdf

109 King's Fund, Paying the price: the cost of mental health care in England to 2026, pp. 7-11

110 Office for National Statistics. Psychiatric morbidity report 2001. <http://www.ons.gov.uk/ons/rel/psychiatric-morbidity/psychiatric-morbidity-among-adults-living-in-private-households/2000/psychiatric-morbidity-among-adults-living-in-private-households.pdf>

111 Nomis, Labour market profile- Coventry

112 Coventry City Council, Mental Health and Wellbeing Assets and Needs Assessment for Coventry and Rugby http://www.coventry.gov.uk/download/downloads/id/17145/mental_health_needs_assessment.pdf

113 NHS Choices, Psychosis, <http://www.nhs.uk/conditions/Psychosis/Pages/Introduction.aspx>

114 Coventry City Council, Mental Health and Wellbeing Assets and Needs Assessment for Coventry and Rugby http://www.coventry.gov.uk/download/downloads/id/17145/mental_health_needs_assessment.pdf

115 NHS Choices, Psychosis

116 Coventry City Council, Mental Health and Wellbeing Assets and Needs Assessment for Coventry and Rugby http://www.coventry.gov.uk/download/downloads/id/17145/mental_health_needs_assessment.pdf

- 117 Dementia Partnerships, Dementia prevalence calculator <http://www.dementiaprevalencecalculator.org.uk/>
- 118 NHS England, New plans to improve dementia diagnosis rates, www.england.nhs.uk/2013/05/dementia-targets/
- 119 Public Health England, Adult social care outcomes framework
- 120 Alzheimer's Disease International, World Alzheimer's report 2014: Dementia and risk reduction – an analysis of protective and modifiable factors <http://www.alz.co.uk/research/world-report-2014>
- 121 Poppi, Health, Dementia
- 122 Alzheimer's Society, Dementia UK update https://www.alzheimers.org.uk/site/scripts/download_info.php?fileID=2323
- 123 Coventry City Council, Living well with dementia strategy, http://www.coventry.gov.uk/downloads/file/17162/coventrys_living_well_with_dementia_strategy_2014-17
- 124 Race Equality Foundation, Black, Asian and Minority Ethnic communities and dementia - where are we now? <http://www.kingsfund.org.uk/sites/files/kf/media/David%20Truswell%20Black,%20Asian%20and%20Minority%20Ethnic%20Communities%20and%20Dementia.pdf>
- 125 Public Health England, Adult social care outcomes framework
- 126 Child and adolescent mental health, <http://www.camh.org.uk/> and Office for National Statistics, Mental health of children and young people in Great Britain, <http://www.hscic.gov.uk/catalogue/PUB06116/ment-heal-chil-you-peop-gb-2004-rep2.pdf>
- 127 Office for National Statistics (2004). Mental health of children and young people in Great Britain, 2004. <http://www.hscic.gov.uk/catalogue/PUB06116/ment-heal-chil-you-peop-gb-2004-rep2.pdf>
- 128 Coventry City Council, Director of Public Health's 2015 annual report
- 129 World Health Organisation, 10 facts on mental health http://www.who.int/features/factfiles/mental_health/mental_health_facts/en/
- 130 Mental Health Foundation, Children's and young people's mental health coalition, Children and young people's mental health. <http://www.mentalhealth.org.uk/content/policy-archive/children-young-peoples-mental-health.pdf>
- 131 Mental Health Foundation, Children and young people <https://www.mentalhealth.org.uk/a-to-z/c/children-and-young-people>
- 132 Hawton K., Rodham K., Evans E., Weatherall R., Deliberate self-harm in adolescents: self report survey in schools in England. BMJ 2002; 325 (7374): 1207-11 and World Health Organisation, Health behaviour in school-aged children <http://www.hbscengland.com/wp-content/uploads/2015/10/National-Report-2015.pdf>
- 133 NHS Choices, The effects of drugs, <http://www.nhs.uk/Livewell/drugs/Pages/Drugoverview.aspx>
- 134 Public Health England, Alcohol and drugs prevention, treatment and recovery <http://www.nta.nhs.uk/uploads/why-invest-2014-alcohol-and-drugs.pdf>
- 135 Coventry City Council, Coventry Drugs Strategy
- 136 Public Health England, Children and young people's health benchmarking tool
- 137 Public Health England, public health outcomes framework www.phoutcomes.info
- 138 Public Health England, Alcohol treatment in England 2013-14. <http://www.nta.nhs.uk/uploads/adult-alcohol-statistics-2013-14-commentary.pdf>

- 139 Coventry City Council, Alcohol Strategy <http://www.coventry.gov.uk/downloads/download/3702/>
- 140 Public Health England. Local alcohol profiles <http://fingertips.phe.org.uk/profile/local-alcohol-profiles>
- 141 Coventry City Council, Alcohol Strategy <http://www.coventry.gov.uk/downloads/download/3702/>
- 142 Public Health England. Local alcohol profiles
- 143 Coventry City Council, Household survey overall findings
- 144 Action on Smoking and Health, Smoking statistics: illness and death http://ash.org.uk/files/documents/ASH_107.pdf
- 145 Action on Smoking and Health, The economics of tobacco, http://www.ash.org.uk/files/documents/ASH_121.pdf
- 146 Leonardi-Bee J., Jere ML., Britton J., Exposure to parental and sibling smoking and the risk of smoking uptake in childhood and adolescence: a systematic review and meta-analysis. Thorax 2011; 66(10): 847-55.
- 147 Coventry City Council, Coventry smoke free strategy 2015-2020 <http://moderngov.coventry.gov.uk/documents/s23073/Coventry%20Smokefree%20Strategy%20-%20Appendix.pdf>
- 148 Public Health England, public health outcomes framework www.phoutcomes.info and Health behaviours in young people- What About YOUth?
- 149 Public Health England. Local health profiles
- 150 Coventry City Council, Coventry smoke free strategy 2015-2020 <http://moderngov.coventry.gov.uk/documents/s23073/Coventry%20Smokefree%20Strategy%20-%20Appendix.pdf>
- 151 Public Health England, Local tobacco control profiles, <http://www.tobaccoprofiles.info/>
- 152 Action on Smoking and Health (2014). Stopping smoking: the benefits and aids to quitting http://ash.org.uk/files/documents/ASH_116.pdf
- 153 Public Health England, Local tobacco control profiles, <http://www.tobaccoprofiles.info/>
- 154 British Heart Foundation National Centre, Making the case for physical activity, <http://www.bhfactive.org.uk/files/1368/makingthecase.pdf>
- 155 UK Active. Turning the tide of inactivity. and BHF National Centre Interpreting the UK physical activity guidelines for older adults (65+) <http://www.bhfactive.org.uk/userfiles/Documents/frailerolderadults.pdf>
- 156 National Obesity Observatory, The economic burden of obesity, http://www.noo.org.uk/uploads/doc/vid_8575_Burdenofobesity151110MG.pdf
- 157 Public Health England, Adult obesity and type 2 diabetes, https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/338934/Adult_obesity_and_type_2_diabetes_.pdf
- 158 National Obesity Observatory, The economic burden of obesity
- 159 Public Health England. Local health profiles
- 160 Rudolph, M., (2010). Tackling obesity through the healthy child programme: a framework for action http://www.noo.org.uk/uploads/doc/vid_4865_rudolf_TacklingObesity1_210110.pdf

- 161 Public Health England, Health risks of childhood obesity
https://www.noo.org.uk/NOO_about_obesity/obesity_and_health/health_risk_child
- 162 Rudolph, Tackling obesity through the healthy child programme: a framework for action
- 163 Coventry City Council, 2013 Director of Public Health Report, Changing for the better: healthy lifestyles in Coventry 2007-12
- 164 Coventry City Council, Director of Public Health Report 2013, Changing for the better: healthy lifestyles in Coventry 2007-12
- 165 Department of Health, Long-term conditions compendium of information: 3rd edition
https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/216528/dh_134486.pdf
- 166 Department of Health, Long-term conditions compendium of information: 3rd edition
https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/216528/dh_134486.pdf
- 167 Public Health England, Age standardised rate of mortality considered preventable definition
<http://www.phoutcomes.info/search/Preventable#page/6/gid/1/pat/15/par/E92000001/ati/6/are/E12000004/iid/40402/age/163/sex/2>
- 168 Public Health England, Premature mortality, longer lives
<http://healthierlives.phe.org.uk/topic/mortality/#are/E08000026/par/at-2-3/ati/102/pat/>
- 169 Public Health England, Premature mortality, longer lives infographics
<http://healthierlives.phe.org.uk/topic/mortality>
- 170 Nuffield Trust, NHS spending on the top three disease categories in England
<http://www.nuffieldtrust.org.uk/data-and-charts/nhs-spending-top-three-disease-categories-england>
- 171 Walters, S., Benitez-Majano S., Muller P., et al. Is England closing the international gap in cancer survival? Br J Cancer 2015; 113 (5): 848-60
- 172 Public Health England, public health outcomes framework www.phoutcomes.info the proportion of invasive malignancies of breast, prostate, colorectal, lung, bladder, kidney, ovary and uterus, non-Hodgkin lymphomas, and melanomas of skin, diagnosed at stage 1 or 2
- 173 Public Health England, Local health profiles
- 174 Cancer Research UK, Statistics on preventable cancers <http://www.cancerresearchuk.org/health-professional/cancer-statistics/risk/preventable-cancers#heading-One>
- 175 NHS Choices, Cardiovascular disease, <http://www.nhs.uk/conditions/Cardiovascular-disease/Pages/Introduction.aspx>
- 176 British Heart Foundation, Cardiovascular disease statistics - headline statistics
<https://www.bhf.org.uk/~media/files/research/heart-statistics/cardiovascular-disease-statistics---headline-statistics.docx>
- 177 Grundy SM., Pasternak R., Greenland P., Smith S., Jr., Fuster V. Assessment of cardiovascular risk by use of multiple-risk-factor assessment equations: a statement for healthcare professionals from the American Heart Association and the American College of Cardiology. Circulation 1999; 100(13): 1481-92
- 178 Public Health England, public health outcomes framework www.phoutcomes.info
- 179 Marmot M, Bell R. Fair society, healthy lives. Public Health 2012; 126 Suppl 1: S4-10
- 180 Public Health England, Local health profiles

- 181 Public Health England, public health outcomes framework www.phoutcomes.info
- 182 NHS Choices, Chronic obstructive pulmonary disease <http://www.nhs.uk/conditions/Chronic-obstructive-pulmonary-disease/Pages/Introduction.aspx>
- 183 Mannino DM., Kiriz VA., Changing the burden of COPD mortality. Int J Chron Obstruct Pulmon Dis 2006; 1(3): 219-33
- 184 Public Health England, Local health profiles
- 185 National Institute for Health and Clinical Excellence (2011), Chronic obstructive pulmonary disease: costing report, <https://www.nice.org.uk/guidance/cg101/resources/costing-report-134511805> and Strategies for improving outcomes of COPD exacerbations
- 186 Diabetes UK, Facts and stats https://www.diabetes.org.uk/Documents/Position%20statements/Diabetes%20UK%20Facts%20and%20Stats_Dec%202015.pdf
- 187 NHS England, Action for diabetes, <https://www.england.nhs.uk/wp-content/uploads/2014/01/act-for-diabetes.pdf>
- 188 Public Health England, public health outcomes framework www.phoutcomes.info
- 189 NHS Choices, Type 2 diabetes- causes <http://www.nhs.uk/conditions/diabetes-type2/Pages/Causes.aspx>
- 190 Public Health England, Diabetes prevalence model (APHO), key findings for England, <http://www.yhpho.org.uk/resource/view.aspx?RID=81124>
- 191 Coventry City Council, Adult Social Care Annual Report 2014/15 http://www.coventry.gov.uk/downloads/file/17823/coventry_adult_social_care_annual_report_201415
- 192 Coventry City Council, Life in Coventry Survey 2016
- 193 Coventry City Council, Equality Factsheet 2: Coventry People and Disability http://www.coventry.gov.uk/download/downloads/id/4634/coventry_people_and_disability.pdf
- 194 Public Health England, public health outcomes framework <http://www.phoutcomes.info/search/learning#page/4/gid/1/pat/6/par/E12000005/ati/102/are/E08000026/iid/10601/age/183/sex/4>
- 195 NICE, <https://www.nice.org.uk/guidance/QS86/chapter/introduction>
- 196 Bolton, J., Predicting and Managing Demand in Social Care, Discussion Paper 2016, p.13 https://ipc.brookes.ac.uk/docs/John_Bolton_Predicting_and_managing_demand_in_social_care-IPC_discussion_paper_April_2016.pdf
- 197 Coventry City Council, Adult Social Care Annual Report 2014/15 http://www.coventry.gov.uk/downloads/file/17823/coventry_adult_social_care_annual_report_201415
- 198 Public Health England, public health outcomes framework www.phoutcomes.info
- 199 Public Health England, public health outcomes framework www.phoutcomes.info
- 200 Coventry City Council, Migrant health in Coventry health needs assessment <http://www.coventry.gov.uk/downloads/download/3774/>
- 201 Public Health England, Tuberculosis in the UK https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/360335/TB_Annual_report_4_0_3_00914.pdf

202 Roy A., Eisenhut M., Harris R.J., et al. Effect of BCG vaccination against mycobacterium tuberculosis infection in children: systematic review and meta-analysis. BMJ 2014; 349: p.4643

203 Public Health England, public health outcomes framework www.phoutcomes.info

204 Public Health England, Sexual and reproductive health profiles

205 Samjim, H., Cescon, A., Hogg RS., et al. Closing the gap: increases in life expectancy among treated HIV-positive individuals in the United States and Canada. PLoS One 2013; 8 (12): e81355

206 Public Health England HIV in the United Kingdom

https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/401662/2014_PHE_HIV_annual_report_draft_Final_07-01-2015.pdf